

Safety Data Sheet

© 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 08-2055-5 **Version number:** 4.00

Issue Date: 08/04/2024 **Supersedes date:** 30/03/2020

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

SECTION 1: Identification

1.1. Product identifier

3MTM Marine Grade Silicone Sealant - Clear, PN 08019

Product Identification Numbers

60-9800-4309-9

1.2. Recommended use and restrictions on use

Recommended use

Marine Mildew Resistant Silicone, Sealant.

For Industrial or Professional use only

1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

Telephone: (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

SECTION 2: Hazard identification

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture

Hazardous to the aquatic environment chronic: Category 3

2.2. Label elements

SIGNAL WORD

Not applicable.

Symbols:

Not applicable.

HAZARD STATEMENTS:

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention

P273 Avoid release to the environment.

Disposal

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

SECTION 3: Composition/information on ingredients

| Ingredient | CAS Nbr | % by Weight |
|--|--------------|-------------|
| Siloxanes And Silicones, DI-ME, Hydroxy-Terminated | 70131-67-8 | 70 - 90 |
| Silicon dioxide | 7631-86-9 | 5 - 10 |
| Siloxanes and silicones, di-Me | 63148-62-9 | 1 - 5 |
| Dodecamethylcyclohexasiloxane | 540-97-6 | < 0.3 |
| Decamethylcyclopentasiloxane | 541-02-6 | < 0.2 |
| Proprietary Biocide | Trade Secret | < 0.1 |
| Octamethylcyclotetrasiloxane | 556-67-2 | < 0.1 |

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

Skin contact

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

If swallowed

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionFormaldehydeDuring combustion.Carbon monoxide.During combustion.Carbon dioxide.During combustion.

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

5.4. Hazchem code: Not applicable.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

Refer to Section 15 - Controls for more information

7.1. Precautions for safe handling

Avoid breathing of vapours created during the cure cycle. Keep out of reach of children. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from oxidising agents.

7.3. Certified handler

Not required

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|------------------------------|-----------|--------------------|---|---------------------|
| Decamethylcyclopentasiloxane | 541-02-6 | AIHA | TWA:10 ppm | |
| Octamethylcyclotetrasiloxane | 556-67-2 | AIHA | TWA:10 ppm | |
| Dust, inert or nuisance | 7631-86-9 | New Zealand WES | TWA(as respirable dust)(8 hours):3 mg/m3;TWA(as | |

inhalable dust)(8 hours):10

mg/m3

TWA(inhalable particulates):10

mg/m3

inhalable particles
Particles (insoluble or poorly 7631-86-9 ACGIH

7631-86-9

ACGIH

soluble) not otherwise specified,

soluble) not otherwise specified,

Particles (insoluble or poorly

respirable particles

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

TWA(respirable particles):3 mg/m3

8.2. Exposure controls

8.2.1. Engineering controls

Provide ventilated enclosure for curing. Curing enclosures must be exhausted to outdoors or to a suitable emission control device. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | Solid. |
|---|--------------------|
| Specific Physical Form: | Paste |
| | |
| Colour | Colourless |
| Odour | Acetic Acid |
| Odour threshold | No data available. |
| pH | Not applicable. |
| Melting point/Freezing point | No data available. |
| Boiling point/Initial boiling point/Boiling range | Not applicable. |
| Flash point | No flash point |
| Evaporation rate | Not applicable. |
| Flammability (solid, gas) | Not classified |
| Flammable Limits(LEL) | Not applicable. |
| Flammable Limits(UEL) | Not applicable. |
| Vapour pressure | Not applicable. |
| Vapor Density and/or Relative Vapor Density | Not applicable. |

| Density | 1.02 g/ml |
|--|---|
| Relative density | 1.02 [<i>Ref Std</i> :WATER=1] |
| Water solubility | No data available. |
| Solubility- non-water | No data available. |
| Partition coefficient: n-octanol/water | No data available. |
| Autoignition temperature | No data available. |
| Decomposition temperature | No data available. |
| Viscosity/Kinematic Viscosity | Not applicable. |
| Volatile organic compounds (VOC) | No data available. |
| Percent volatile | 2.1 % weight |
| VOC less H2O & exempt solvents | 22 g/l [Test Method:calculated SCAQMD rule 443.1] |
| VOC less H2O & exempt solvents | 2.1 % [Test Method:calculated per EPA method 24] |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Not determined

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance
None known.

Condition

Refer to Section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No health effects are expected.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--|---------------------------------------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Siloxanes And Silicones, DI-ME, Hydroxy-Terminated | Dermal | Rabbit | LD50 > 16,000 mg/kg |
| Siloxanes And Silicones, DI-ME, Hydroxy-Terminated | Ingestion | Rat | LD50 > 64,000 mg/kg |
| Silicon dioxide | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Silicon dioxide | Inhalation- Dust/Mist (4 hours) | Rat | LC50 > 0.691 mg/l |
| Silicon dioxide | Ingestion | Rat | LD50 > 5,110 mg/kg |
| Siloxanes and silicones, di-Me | Dermal | Rabbit | LD50 > 19,400 mg/kg |
| Siloxanes and silicones, di-Me | Ingestion | Rat | LD50 > 17,000 mg/kg |
| Dodecamethylcyclohexasiloxane | Dermal | Rat | LD50 > 2,000 mg/kg |
| Dodecamethylcyclohexasiloxane | Ingestion | Rat | LD50 > 50,000 mg/kg |
| Decamethylcyclopentasiloxane | Dermal | Rabbit | LD50 > 15,000 mg/kg |
| Decamethylcyclopentasiloxane | Inhalation- Dust/Mist (4 hours) | Rat | LC50 8.7 mg/l |
| Decamethylcyclopentasiloxane | Ingestion | Rat | LD50 > 24,134 mg/kg |
| Octamethylcyclotetrasiloxane | Dermal | Rat | LD50 > 2,400 mg/kg |
| Octamethylcyclotetrasiloxane | Inhalation- Dust/Mist (4 hours) | Rat | LC50 36 mg/l |
| Octamethylcyclotetrasiloxane | Ingestion | Rat | LD50 > 4,800 mg/kg |

 \overline{ATE} = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--------------------------------|---------|---------------------------|
| | | |
| Silicon dioxide | Rabbit | No significant irritation |
| Siloxanes and silicones, di-Me | Rabbit | No significant irritation |
| Dodecamethylcyclohexasiloxane | Rabbit | No significant irritation |
| Decamethylcyclopentasiloxane | Rabbit | No significant irritation |
| Octamethylcyclotetrasiloxane | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--------------------------------|---------|---------------------------|
| | | |
| Silicon dioxide | Rabbit | No significant irritation |
| Siloxanes and silicones, di-Me | Rabbit | No significant irritation |
| Dodecamethylcyclohexasiloxane | Rabbit | No significant irritation |
| Decamethylcyclopentasiloxane | Rabbit | No significant irritation |
| Octamethylcyclotetrasiloxane | Rabbit | No significant irritation |

Sensitisation:

Skin Sensitisation

| Name Species Value |
|--------------------|
|--------------------|

Dans (of 12

| Silicon dioxide | Human | Not classified |
|------------------------------|--------|----------------|
| | and | |
| | animal | |
| Decamethylcyclopentasiloxane | Mouse | Not classified |
| Octamethylcyclotetrasiloxane | Human | Not classified |
| | and | |
| | animal | |

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| | | |
| Siloxanes And Silicones, DI-ME, Hydroxy-Terminated | In Vitro | Not mutagenic |
| Silicon dioxide | In Vitro | Not mutagenic |
| Decamethylcyclopentasiloxane | In Vitro | Not mutagenic |
| Decamethylcyclopentasiloxane | In vivo | Not mutagenic |
| Octamethylcyclotetrasiloxane | In vivo | Not mutagenic |
| Octamethylcyclotetrasiloxane | In Vitro | Some positive data exist, but the data are not |
| | | sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|------------------------------|----------------|---------|--|
| Silicon dioxide | Not specified. | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Decamethylcyclopentasiloxane | Inhalation | Rat | Some positive data exist, but the data are not sufficient for classification |
| Octamethylcyclotetrasiloxane | Inhalation | Rat | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|-------------------------------|------------|--|---------|-----------------------------|------------------------------|
| Silicon dioxide | Ingestion | Not classified for female reproduction | Rat | NOAEL 509 mg/kg/day | 1 generation |
| Silicon dioxide | Ingestion | Not classified for male reproduction | Rat | NOAEL 497 mg/kg/day | 1 generation |
| Silicon dioxide | Ingestion | Not classified for development | Rat | NOAEL 1,350 mg/kg/day | during organogenesis |
| Dodecamethylcyclohexasiloxane | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premating & during gestation |
| Dodecamethylcyclohexasiloxane | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 28 days |
| Dodecamethylcyclohexasiloxane | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | premating & during gestation |
| Decamethylcyclopentasiloxane | Inhalation | Not classified for female reproduction | Rat | NOAEL 2.43 mg/l | 2 generation |
| Decamethylcyclopentasiloxane | Inhalation | Not classified for male reproduction | Rat | NOAEL 2.43 mg/l | 2 generation |
| Decamethylcyclopentasiloxane | Inhalation | Not classified for development | Rat | NOAEL 2.43 mg/l | 2 generation |
| Octamethylcyclotetrasiloxane | Inhalation | Not classified for male reproduction | Rat | NOAEL 8.5 mg/l | 2 generation |
| Octamethylcyclotetrasiloxane | Inhalation | Not classified for development | Rabbit | NOAEL 6 mg/l | during organogenesis |
| Octamethylcyclotetrasiloxane | Ingestion | Not classified for development | Rabbit | NOAEL 100 | during |

| | | | | mg/kg | organogenesis |
|------------------------------|------------|------------------------------|--------|-----------|---------------|
| Octamethylcyclotetrasiloxane | Ingestion | Toxic to female reproduction | Rabbit | NOAEL 50 | during |
| | | | | mg/kg/day | organogenesis |
| Octamethylcyclotetrasiloxane | Inhalation | Toxic to female reproduction | Rat | NOAEL 3.6 | 2 generation |
| | | | | mg/l | |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|----------------------------------|------------|--|----------------|---------|-----------------------------|-----------------------|
| Silicon dioxide | Inhalation | respiratory system silicosis | Not classified | Human | NOAEL Not available | occupational exposure |
| Dodecamethylcyclohexasil oxane | Ingestion | endocrine system liver respiratory system nervous system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 28 days |
| Decamethylcyclopentasilo xane | Dermal | hematopoietic system eyes | Not classified | Rat | NOAEL 1,600 mg/kg/day | 28 days |
| Decamethylcyclopentasilo xane | Inhalation | hematopoietic system respiratory system liver eyes kidney and/or bladder | Not classified | Rat | NOAEL 2.42 mg/l | 2 years |
| Decamethylcyclopentasilo xane | Ingestion | liver immune system respiratory system heart hematopoietic system kidney and/or bladder | Not classified | Rat | NOAEL 1,000 mg/kg/day | 90 days |
| Octamethylcyclotetrasilox ane | Dermal | hematopoietic system | Not classified | Rabbit | NOAEL 960 mg/kg/day | 3 weeks |
| Octamethylcyclotetrasilox ane | Inhalation | liver | Not classified | Rat | NOAEL 8.5 mg/l | 13 weeks |
| Octamethylcyclotetrasilox ane | Inhalation | endocrine system immune system kidney and/or bladder | Not classified | Rat | NOAEL 8.5 mg/l | 2 generation |
| Octamethylcyclotetrasilox ane | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 8.5 mg/l | 13 weeks |
| Octamethylcyclotetrasilox ane | Ingestion | liver | Not classified | Rat | NOAEL 1,600 mg/kg/day | 2 weeks |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Ecotoxic to the aquatic environment.
Acute Aquatic Toxicity: Category 3
Chronic Aquatic Toxicity: Category 3

No product test data available.

| Material | CAS Number | Organism | Туре | Exposure | Test endpoint | Test result |
|---|------------|-------------------|--|----------|---------------|----------------------------|
| Siloxanes And Silicones, DI- ME, Hydroxy- Terminated | 70131-67-8 | N/A | Data not available or insufficient for classification | N/Â | N/A | N/A |
| Silicon dioxide | 7631-86-9 | N/A | Data not available or insufficient for classification | N/A | N/A | N/A |
| Siloxanes and silicones, di- Me | 63148-62-9 | N/A | Data not available or insufficient for classification | N/A | N/A | N/A |
| Dodecamethylc yclohexasiloxa ne | 540-97-6 | Activated sludge | Experimental | 3 hours | EC50 | >100 mg/l |
| Dodecamethylc yclohexasiloxa ne | 540-97-6 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Dodecamethylc yclohexasiloxa ne | 540-97-6 | Fathead minnow | Experimental | 49 days | NOEC | 100 mg/l |
| Dodecamethylc yclohexasiloxa ne | 540-97-6 | Green algae | Experimental | 72 hours | NOEC | 100 mg/l |
| Dodecamethylc yclohexasiloxa ne | 540-97-6 | Water flea | Experimental | 21 days | NOEC | 100 mg/l |
| Decamethylcyc lopentasiloxane | | Activated sludge | Experimental | 3 hours | EC50 | >2,000 mg/l |
| Decamethylcyc lopentasiloxane | | Green algae | Experimental | 96 hours | ErC50 | >100 mg/l |
| Decamethylcyc lopentasiloxane | | Rainbow trout | Experimental | 96 hours | LC50 | >100 mg/l |
| Decamethylcyc lopentasiloxane | | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| Decamethylcyc lopentasiloxane | | Green algae | Experimental | 96 hours | NOEC | 100 mg/l |
| Decamethylcyc lopentasiloxane | 541-02-6 | Rainbow trout | Experimental | 90 days | NOEC | 100 mg/l |
| Decamethylcyc lopentasiloxane | 541-02-6 | Water flea | Experimental | 21 days | NOEC | 100 mg/l |
| Octamethylcycl otetrasiloxane | | Blackworm | Experimental | 28 days | NOEC | 0.73 mg/kg (Dry Weight) |
| Octamethylcycl otetrasiloxane | 556-67-2 | Midge | Experimental | 14 days | LC50 | >170 mg/kg (Dry Weight) |
| Octamethylcycl otetrasiloxane | 556-67-2 | Mysid Shrimp | Experimental | 96 hours | LC50 | >0.0091 mg/l |

| Octamethylcycl | 556-67-2 | Rainbow trout | Experimental | 96 hours | LC50 | >0.022 mg/l |
|-------------------------------|--------------|---------------|--------------|----------|------|--------------|
| otetrasiloxane | | | | | | |
| Octamethylcycl | 556-67-2 | Water flea | Experimental | 48 hours | EC50 | >0.015 mg/l |
| otetrasiloxane | | | | | | |
| Octamethylcycl otetrasiloxane | 556-67-2 | Rainbow trout | Experimental | 93 days | NOEC | 0.0044 mg/l |
| Octamethylcycl | 556-67-2 | Water flea | Experimental | 21 days | NOEC | 0.015 mg/l |
| otetrasiloxane | | | | | | |
| Octamethylcycl | 556-67-2 | Activated | Experimental | 3 hours | EC50 | >10,000 mg/l |
| otetrasiloxane | | sludge | _ | | | |
| Proprietary | Trade Secret | Activated | Experimental | N/A | IC50 | >9 mg/l |
| Biocide | | sludge | | | | |
| Proprietary | Trade Secret | Green algae | Experimental | 72 hours | EC50 | 0.102 mg/l |
| Biocide | | | - | | | |
| Proprietary | Trade Secret | Rainbow trout | Experimental | 96 hours | LC50 | 0.067 mg/l |
| Biocide | | | - | | | |
| Proprietary | Trade Secret | Water flea | Experimental | 48 hours | EC50 | 0.279 mg/l |
| Biocide | | | _ | | | |

12.2. Persistence and degradability

| Material | CAS Number | Test type | Duration | Study Type | Test result | Protocol |
|---|--------------|--------------------------------------|----------|-----------------------------------|--|-----------------------------------|
| Siloxanes And Silicones, DI- ME, Hydroxy- Terminated | 70131-67-8 | Data not availbl- insufficient | N/A | N/A | N/A | N/A |
| Silicon dioxide | 7631-86-9 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| Siloxanes and silicones, di- Me | 63148-62-9 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| Dodecamethylc yclohexasiloxa ne | 540-97-6 | Experimental Biodegradation | 28 days | CO2 evolution | 4.47 %CO2 evolution/THC O2 evolution | OECD 310 CO2 Headspace |
| Decamethylcyc lopentasiloxane | 541-02-6 | Experimental Biodegradation | 28 days | CO2 evolution | 0.14 %CO2 evolution/THC O2 evolution | OECD 310 CO2 Headspace |
| Decamethylcyc lopentasiloxane | 541-02-6 | Experimental Photolysis | | Photolytic half- life (in air) | 20.4 days (t 1/2) | |
| Decamethylcyc lopentasiloxane | 541-02-6 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | 66 days (t 1/2) | |
| Octamethylcycl otetrasiloxane | 556-67-2 | Experimental Biodegradation | 29 days | CO2 evolution | 3.7 %CO2 evolution/THC O2 evolution | OECD 310 CO2 Headspace |
| Octamethylcycl otetrasiloxane | 556-67-2 | Experimental Photolysis | | Photolytic half- life (in air) | 31 days (t 1/2) | |
| Octamethylcycl otetrasiloxane | 556-67-2 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | 69.3-144 hours (t 1/2) | OECD 111 Hydrolysis func of pH |
| Proprietary Biocide | Trade Secret | Experimental Biodegradation | 28 days | BOD | <13.8 %BOD/ ThOD | |

12.3 : Bioaccumulative potential

| Material | CAS Number | Test type | Duration | Study Type | Test result | Protocol |
|---|--------------|--|----------|----------------------------|-------------|----------------------------------|
| Siloxanes And Silicones, DI- ME, Hydroxy- Terminated | 70131-67-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Silicon dioxide | 7631-86-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Siloxanes and silicones, di- Me | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Dodecamethylc yclohexasiloxa ne | 540-97-6 | Experimental BCF - Fish | 49 days | Bioaccumulatio n factor | 1160 | OECD305- Bioconcentration |
| Decamethylcyc lopentasiloxane | | Experimental BCF - Fish | 35 days | Bioaccumulatio n factor | 7060 | OECD305- Bioconcentration |
| Decamethylcyc lopentasiloxane | | Experimental Bioconcentrati on | | Log Kow | 8.03 | |
| Octamethylcycl otetrasiloxane | 556-67-2 | Experimental BCF - Fish | 28 days | Bioaccumulatio n factor | 12400 | 40CFR 797.1520-Fish Bioaccumm |
| Octamethylcycl otetrasiloxane | 556-67-2 | Experimental Bioconcentrati on | | Log Kow | 6.49 | OECD 123 log Kow slow stir |
| Proprietary Biocide | Trade Secret | Experimental Bioconcentrati on | | Log Kow | 2.66 | |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

SECTION 14: Transport Information

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable.

IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

SECTION 15: Regulatory information

HSNO Approval number HSR002670

Group standard name Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020

HSNO Hazard classification Refer to Section 2: Hazard identification

NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

Certified handler
Location Compliance Certificate
Hazardous atmosphere zone
Not required
Not required
Not required
Not required
Not required

Emergency response plan 100 L or 100 kg (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic

environment Category 4 substances)

Secondary containment 100 L or 100 kg (for Hazardous to the aquatic environment Category 1

substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic

environment Category 4 substances)

Not required

Warning signage 100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1,

substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4

substances)

SECTION 16: Other information

Revision information:

Tracking

Complete document review.

| Document group: | 08-2055-5 | Version number: | 4.00 |
|-----------------|------------|------------------|------------|
| Issue Date: | 08/04/2024 | Supersedes date: | 30/03/2020 |

Key to abbreviations and acronyms

GHS refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz