

#### **MATERIAL SAFETY DATA SHEET ADDENDUM**

Page 0

N Z Specific Information addendum to Material Safety Data Sheet for Product No. **100354 Blue Cream Hardener** to be read with the MSDS sheet from evercoat.com

Date Revised: 15/10/2019

#### SECTION 1 ADDITIONAL INFORMATION

NZ Supplier: Hindin Marquip Limited
Head Office: 1012 Great South Road

Penrose 1061

Phone: **09 579 9667** 

EMERGENCY TELEPHONE 0800 POISON (0800 764 766)

#### SECTION 2 ADDITIONAL INFORMATION

This substance is hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

HSNO CLASSIFICATION	HAZARD DESCRIPTION
5.2C	Organic peroxides: type C
6.4A	Substances that are irritating to the eye
6.5B	Substances that are contact sensitisers
9.1D	Substances that are slightly harmful to the aquatic environment or are otherwise designed
	for biocidal action

#### **PICTOGRAMS**





#### **SECTION 15**

#### **ADDITIONAL INFORMATION**

EPA Approval: - HSR002629 - Organic Peroxides Group Standard 2006

### **SECTION 16**

#### **ADDITIONAL INFORMATION**

#### **Disclaimer**

The modifications to this Safety Data Sheet made by M J Nankivell Haztec Ltd have been restricted to Adding New Zealand specific information only as required under the HSNO Act 1996 and associated regulations and no changes have been made to the Technical Content.

No Liability or responsibility shall be taken by M.J Nankivell Haztec Ltd for the technical content, or accidents or incidents arising from the use thereof.

**Product Name: Cream Hardener (Blue)** 

Product identifier: 100354 Revision Date: 05-18-2017

Replaces:



#### 1. Identification

Product identifier used on the label:

Product Name: Cream Hardener (Blue)

**Product identifier:** 100354

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on

use:

Polymerization initiator

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

**Importer / Distributor:** a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

**Emergency phone number:** CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



**GHS Classification:** Skin Sensitisation Category 1

Serious Eye Damage/Eye Irritation Category 2A

Flammable Liquid Category 4

GHS Signal Word: Warning

GHS Hazard Statements: Combustible Liquid

May cause an allergic skin reaction.

Causes serious eye irritation.

**GHS Precautionary Statements:** 

**Safety Precautions:** Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Page **1** of **9** 

**Product Name: Cream Hardener (Blue)** 

Product identifier: 100354 Revision Date: 05-18-2017

Replaces:

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

**First Aid Measures:** IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use appropriate media to extinguish.

**Storage:** Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

3. Composition/information on ingredients				
Chemical Component:	CAS number and other	% (or range) of ingredient		
	unique identifiers	% (or range) or ingredient		
Benzoyl Peroxide	94-36-0	30 - 52		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Eye Contact:** Use an eye wash to remove a chemical from your eye regardless of

the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Flush eyes gently with water for at least 15 minutes, lifting upper & lower eye

lids. Seek immediate medical attention.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation

develops or persists. Remove contaminated clothing and continue flushing with water. Wash affected area thoroughly with soap and water. Seek immediate medical attention. Wash clothing before

reuse.

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If symptoms develop, immediately move individual away from exposure and into fresh air. Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt,

**Product Name: Cream Hardener (Blue)** 

Product identifier: 100354 Revision Date: 05-18-2017

Replaces:

and administer artificial respiration. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably

on a doctor's advice.

**Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek

medical attention immediately. Provide medical care provider with this MSDS. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. Drink plenty of water. If individual is drowsy or

unconscious, do not give anything by mouth; place individual on left

side with head down. If possible, do not leave individual

unattended.

Most important symptoms/effects, acute and delayed:

Most important

symptoms/effects (Acute):

Most important

symptoms/effects (Delayed):

No data available

Benzoyl Peroxide: Repeated or prolonged contact may cause skin

sensitization.

Overexposure to this material has been suggested as a cause of the following effects in laboratory animals: mild, reversible liver effects, mild, reversible kidney effects, cardiac sensitization, kidney damage.

Benzoyl Peroxide has caused tumorigenic effects in laboratory

animals.

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available

### 5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, dry chemical, or water

spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Regular foam Carbon dioxide Dry

chemical

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

**Fire and/or Explosion** Material may be ignited if preheated to temperatures above the

**Hazards:** flash point in the presence of a source of ignition. Material is easily

ignited if allowed to dry.

**Hazardous Combustion** Toxic and corrosive gases,, Carbon dioxide, Carbon monoxide,

**Product Name: Cream Hardener (Blue)** 

Product identifier: 100354 **Revision Date: 05-18-2017** 

Replaces:

**Products:** 

Special protective equipment and precautions for fire-

fighters:

Benzoic acid, Hydrocarbons

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Fight fire like a fuel oil fire.

Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.

Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment.

#### 6. Accidental release measures

Personal precautions. protective equipment, and emergency procedures: Methods and materials for containment and cleaning up: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Activate available exhaust ventilation equipment in the immediate spill area. All personnel in the area should be protected as in Section 8. Avoid breathing vapors. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

### 7. Handling and storage

Precautions for safe handling:

Mildly irritating material. Avoid unnecessary exposure. All hazard precautions given in the data sheet must be observed. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid breathing vapors or mists. Do not take internally. Keep container closed when not in use. Keep out of the reach of children.

#### Conditions for safe storage, including any incompatibilities

Conditions for safe storage:

Store in a cool dry place. Isolate from incompatible materials. Store in a cool dry place Do not store the product above 100°F/38°C. Do not flame, cut, braze, weld or melt empty containers. Keep product away from heat, open flame, and other sources of ignition. Keep away from heat, sparks, and flame Store in a tightly closed container Avoid contact with incompatible materials such as strong acids, alkalis and oxidizers. For maximum product quality, avoid prolonged storage at temperatures above 75 °F (25 °C). To prevent

**Product Name: Cream Hardener (Blue)** 

Product identifier: 100354 Revision Date: 05-18-2017

Replaces:

possible decomposition, temperatures in the storage facility must

not exceed 217°F (103°C). Avoid contact with incompatible

materials.

Materials to Avoid/Chemical

Incompatibility:

Organic materials Inorganic acids Strong oxidizing agents Accelerators Reducing agents Alcohols Amines Strong alkalies

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Benzoyl Peroxide	5 mg/m3	5 mg/m3	No data available

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator comfort under normal conditions of use. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits. Explosion proof exhaust ventilation should be used.

Individual protection measures, such as personal protective equipment:

**Eye Protection:** Wear safety glasses when handling this product. Splash proof

chemical goggles are recommended to protect against the splash of

product.

**Skin Protection:** Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Protective gloves and proper clothing should be worn to prevent skin contact. Gloves should be made of neoprene or natural rubber. To prevent repeated or prolonged skin contact, wear impervious clothing and boots A barrier cream may

be used for additional skin protection.

**Respiratory Protection:** No respiratory protection required under normal conditions of use.

Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required. Use a NIOSH approved respirator designed to

remove particulate matter and organic solvent vapors.

**Other Protective Equipment:** Splash proof chemical goggles are recommended to protect against

the splash of product. Protective gloves and proper clothing should

be worn to prevent skin contact. Gloves should be made of

neoprene or natural rubber. To prevent repeated or prolonged skin contact, wear impervious clothing and boots A barrier cream may

be used for additional skin protection.

**Product Name: Cream Hardener (Blue)** 

**Product identifier:** 100354 **Revision Date: 05-18-2017** 

Replaces:

## 9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): **Paste** Color: Blue Odor: Ester-like

Odor threshold: No data available

Neutral

Melting Point/Freezing Point (°C): No data available

Initial Boiling Point and Boiling Range (°C): 100 Flash Point (°C): 84

**Evaporation Rate:** No data available Flammability (solid, gas): No data available

Upper/lower flammability or explosive limits:

**Upper Flammable/Explosive Limit (%):** No data available Lower Flammable/Explosive Limit (%): No data available **Vapor Pressure:** No data available

Vapor Density: >1 Heavier than air. Vapors that evolve from this

product will tend to settle and accumulate near the

floor.

**Relative Density:** 1.2 Solubility(ies): Insoluble

Partition coefficient: n-octanol/water: No data available **Auto-ignition Temperature (°C):** No data available **Decomposition Temperature:** No data available No data available **Viscosity:** 

VHAP Content by weight – as packaged:

## 10. Stability and reactivity

No data available Reactivity:

Chemical stability: Stable under normal conditions.

Possibility of hazardous No data available

reactions:

Conditions to avoid (e.g., static Contamination

discharge, shock, or vibration):

Incompatible materials: Organic materials Inorganic acids Strong oxidizing agents

> Accelerators Reducing agents Alcohols Amines Strong alkalies Toxic and corrosive gases, Carbon dioxide Carbon monoxide

products: Benzoic acid Hydrocarbons

### 11. Toxicological information

Hazardous decomposition

**Product Name: Cream Hardener (Blue)** 

Product identifier: 100354 Revision Date: 05-18-2017

Replaces:

Information on the likely routes

Ingestion, Skin contact, Eye contact, Absorption

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the physical, chemical and toxicological characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

**Inhalation Irritation:** Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and

headache. Excessive inhalation of vapors may cause nasal and respiratory irritation,

acute nervous system depression, fatigue, weakness, nausea, headache and

dizziness.

Aspiration of material into the lungs can cause chemical pneumonitis which can be

fatal.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration of

liquid into lungs.

Airborne overexposure well above the PEL may result additionally in eye irritation,

headache, chemical bronchitis, asthma-like findings or pulmonary edema.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.

**Skin Absorption:** Causes skin irritation. Contact may cause irritation and possible dermatitis or

sensitization. Symptoms may include minor itching, burning and/or redness, Dermatitis, defatting may be readily absorbed through the skin. Substance can be absorbed through the skin in harmful amounts. Symptoms may include redness,

burning, drying and cracking of skin, and skin burns

**Eye Contact:** Can cause minor irritation, tearing and reddening. Contact with paste may result in

irritation, redness, tearing, blurred vision, and/or swelling.

**Ingestion Irritation:** Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort.

Causes gastrointestinal tract irritation, nausea, vomiting, diarrhea and possible ulcerations to mucous membranes. Aspiration of material into the lungs can cause

chemical pneumonitis which can be fatal.

**Ingestion Toxicity:** 

Long-Term (Chronic) Health Effects:

**Carcinogenicity:**None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA. Not listed by ACGIH,

IARC, NIOSH, NTP OR OSHA.

**Reproductive and**No data available to indicate product or any components present at greater than

**Developmental Toxicity:** 0.1% may cause birth defects.

**Mutagenicity:**No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause minor respiratory irritation,

dizziness, weakness, fatigue, nausea, and headache.

**Skin Contact:** Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

**Product Name: Cream Hardener (Blue)** 

Product identifier: 100354 Revision Date: 05-18-2017

Replaces:

Numerical measures of toxicity (such as acute toxicity estimates)

**Component Toxicology Data** 

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Benzoyl Peroxide	Oral LD50 Rat 7710 mg/kg		

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available	N	N	N

### 12. Ecological information

**Ecotoxicity (aquatic and**This material is not expected to be harmful to the ecology. The

terrestrial, where available): ecological toxicity of this product is not known

Persistence and degradability: No data available

Bioaccumulative potential: No data

Mobility in soil: No data available
Other adverse effects (such as No data available

hazardous to the ozone layer):

**Ecological Toxicity Data** 

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available	•		

### 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

**Description of waste residues:** Spent or discarded material may be a hazardous waste.

Safe Handling of Waste: This material as supplied, if discarded, would be regulated as a

hazardous waste under RCRA (40 CFR 261).

**Waste treatment methods** Dispose of by incineration following Federal, State, Local, or

**(including packaging):** Provincial regulations.

Waste Disposal Code(s): D001

## 14. Transport information

UN number: UN3108

**UN proper shipping name:** ORGANIC PEROXIDE TYPE E, (DIBENZOYL PEROXIDE)

**Product Name: Cream Hardener (Blue)** 

Product identifier: 100354 Revision Date: 05-18-2017

Replaces:

Transport hazard class(es): 5.2

Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

## 15. Regulatory information

### Safety, health and environmental regulations specific for the product in question

**TSCA Status:** A component or components of this product are listed on the

TSCA Inventory of Existing Chemical Substances.

**Regulated Components** 

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Benzoyl Peroxide	94-36-0	N	N	Υ	N

## 16. Other information, including date of preparation or last revision.

**Revision Date:** 05-18-2017

Revision Number: 17

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances