Sikaflex AT-Facade



Version 3.0	Revision Date: 2021/05/31		SDS Number: 000000121249	Date of last issue: 2019/06/13 Date of first issue: 2017/12/07
Section 1:	dentification			
Produ	ict name	:	Sikaflex AT-Facade	
Produ	ict code	:	000000121249	
Manu	facturer or supplier's	deta	ils	
Comp	bany	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telep	hone	:	+64 9 820 2900	
Emerg ber	gency telephone num-	:	0800 734 607	
Telefa	ax	:	+64 9 828 4091	
E-mai	il address	:	info@nz.sika.com	
Reco	mmended use of the c	hen	nical and restrictions on use	2
Produ	ict use	:	Sealant/adhesive	

Section 2: Hazard identification

GHS Classification Aquatic toxicity (Acute or Chronic)	:	9.1B
GHS label elements		
Hazard pictograms	:	
Signal word	:	None
Hazard statements	:	H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:
		P273 Avoid release to the environment.
		Response:
		P391 Collect spillage.
		Disposal:
		P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification None known.

Section 3: Composition/information on ingredients

Sikaflex AT-Facade



0	Revision Date: SDS Nu 2021/05/31 0000007			Date of last issue: 2019/06/13 Date of first issue: 2017/12/07	
Substa	ance / Mixture	:	Mixture		
Comp	onents				
Chemi	cal name			CAS-No.	Concentration (% w/w)
bis(2-e	ethylhexyl) adipate			103-23-1	>= 2.5 -< 10
	carbons, C13-C23, n-a cyclics, < 0.03% aron			64742-46-7	>= 1 -< 10
	clohexanedicarboxylic			166412-78-8	>= 1 -< 10
	First-aid measures al advice	:	No hazards	which require spec	ial first aid measures.
If inhal	ed	:	Move to fres	h air.	
In case			Take off con	taminated clothing	
				h soap and plenty of	and shoes immediately. of water.
In case	e of eye contact	:	Wash off with Flush eyes w Remove con	h soap and plenty o	of water.
In case		:	Wash off with Flush eyes w Remove con Keep eye with Clean mouth Do not give r	h soap and plenty of with water as a prec tact lenses. de open while rinsin with water and dri milk or alcoholic be	of water. caution. ng. nk afterwards plenty of water.
lf swall Most ir	lowed mportant symptoms fects, both acute and	:	Wash off with Flush eyes w Remove con Keep eye with Clean mouth Do not give n Never give a No known site	h soap and plenty of with water as a prec tact lenses. de open while rinsi with water and dri milk or alcoholic be nything by mouth t gnificant effects or 11 for more detaile	of water. caution. ng. nk afterwards plenty of water. verages. o an unconscious person.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

Section 6: Accidental release measures

Personal precautions, protec- : For personal protection see section 8.

Sikaflex AT-Facade



Vers 3.0	ion Revision Date: 2021/05/31		SDS Number: 000000121249	Date of last issue: 2019/06/13 Date of first issue: 2017/12/07
	tive equipment and emer- gency procedures			
	Environmental precautions	:	No special environmental precaut	ions required.
	Methods and materials for containment and cleaning up		Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.	
Sec	tion 7: Handling and storage)		
	Advice on protection against fire and explosion	:	Normal measures for preventive f	ire protection.
	Advice on safe handling		For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemica products	
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.	
	Conditions for safe storage	:	Keep container tightly closed in a place. Store in accordance with local reg	
	Materials to avoid	:	No special restrictions on storage	with other products.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrocarbons, C13-C23, n- alkanes, isoalkanes, cyclics, < 0.03% aromatics	64742-46-7	WES-TWA (Mist)	5 mg/m3	NZ OEL
	Further informativation vapour.	ation: Sampled b	by a method that does	s not collect
		WES-STEL (Mist)	10 mg/m3	NZ OEL

Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, selfcontained breathing apparatus must be used.

Sikaflex AT-Facade



Version 3.0	Revision Date: 2021/05/31		SDS Number: 000000121249	Date of last issue: 2019/06/13 Date of first issue: 2017/12/07
Hand protection		:	Chemical-resistant, impervious gl approved standard should be wor chemical products if a risk assess essary.	rn at all times when handling
Eye protection		:	Safety eyewear complying with a be used when a risk assessment	••
Skin and body protection		:	: Choose body protection in relation to its type, to the conce tration and amount of dangerous substances, and to the sp cific work-place.	

Section 9: Physical and chemical properties

Appearance	:	paste
Colour	:	various
Odour	:	very faint
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (214 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.01 hPa
Relative vapour density	:	No data available
Density	:	ca. 1.29 g/cm3 (20 °C (68 °F))
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available

Sikaflex AT-Facade



Version 3.0	Revision Date: 2021/05/31		SDS Number: 000000121249	Date of last issue: 2019/06/13 Date of first issue: 2017/12/07
Pa	rtition coefficient: n-		No data available	
oct	anol/water to-ignition temperature	:	No data available	
De	composition temperature	:	No data available	
	cosity Viscosity, dynamic	:	Not applicable	
	Viscosity, kinematic	:	Not applicable	
Exp	plosive properties	:	No data available	
Ox	Oxidizing properties		No data available	
Section	10: Stability and reactivit	y		
Re	activity	:	No dangerous reaction known u	inder conditions of normal use.
Ch	emical stability	:	The product is chemically stable	9.
	Possibility of hazardous reac- tions		No hazards to be specially men	tioned.
Co	nditions to avoid	:	No data available	
Inc	ompatible materials	:	No data available	

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.	
Components:	

bis(2-ethylhexyl) adipate: Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Sikaflex AT-Facade



Version 3.0	Revision Date: 2021/05/31		SDS Number: 000000121249	Date of last issue: 2019/06/13 Date of first issue: 2017/12/07
Respi	iratory or skin sensitisa	atio	n	
-	sensitisation assified based on availat	ole i	nformation.	
-	iratory sensitisation assified based on availab	ole i	nformation.	
Chror	nic toxicity			
	cell mutagenicity assified based on availab	ole i	nformation.	
	nogenicity assified based on availat	ole i	nformation.	
-	oductive toxicity assified based on availat	ole i	nformation.	
	• single exposure assified based on availat	ole i	nformation.	
	 repeated exposure assified based on available 	ole i	nformation.	
-	ation toxicity assified based on availat	ole i	nformation.	
Section 12	2: Ecological informatio	on		
Ecoto	oxicity			
bis(2- Toxici	oonents: ethylhexyl) adipate: ty to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (W Exposure time: 48 h	Vater flea)): > 500 mg/l
Toxici plants	ty to algae/aquatic	:	EC50 (Scenedesmus qua Exposure time: 72 h	dricauda (Green algae)): > 500 mg/l
	stence and degradabilit ta available	y		
Bioac	cumulative potential ta available			
	ity in soil			

No data available

Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product.

Sikaflex AT-Facade



ersion .0	Revision Date: 2021/05/31	SDS Number: 000000121249	Date of last issue: 2019/06/13 Date of first issue: 2017/12/07
matior	ı		
Section 13	: Disposal consideration	ons	
Dispo	sal methods		
Conta	minated packaging	: Empty containers should be dling site for recycling or dis	e taken to an approved waste han- sposal.
Section 14	: Transport information	n	
Intern	ational Regulations		
UNRT Not re	DG gulated as a dangerous	good	
IATA- Not re	DGR gulated as a dangerous	good	
	-Code gulated as a dangerous	good	
	port in bulk according	to Annex II of MARPOL 73/78 upplied.	and the IBC Code
Natio	nal Regulations		
NZS 5 Not re	433 gulated as a dangerous	good	
Section 15	: Regulatory information	on	
Safety	/, health and environm	ental regulations/legislation s	specific for the substance or mixture
	ational Chemical Weapo lules of Toxic Chemicals		lot applicable
	Approval Number 02670		
HSW	Controls		
Tracki		e not required.	es) Regulations 2017, for further infor-
matior			
matior	omponents of this proc	duct are reported in the follow : On the inventory, or in com	-

Sikaflex AT-Facade



Version	Revision Date:	SDS Number:	Date of last issue: 2019/06/13
3.0	2021/05/31	00000121249	Date of first issue: 2017/12/07

Section 16: Other information

Full text of other abbreviatio

NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEL	: Workplace Exposure Standard - Short-Term Exposure Limit
ADG	: Australian Dangerous Goods Code.
ADR	: European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
IATA	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	: Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN