

# PF96

## PORE FILLER



### PRODUCT DESCRIPTION

Pore Filler PF96 is a one-pack filler specially developed to seal small pores in the surface of plastic parts and sanded polyester putties.

### FEATURES

- 01 Helps to ensure an exceptional finish on porous substrates.
- 02 Fills small pores on plastic parts and sanded polyester putties.

# TECHNICAL DATA SHEET




**PF96**

## PORE FILLER


### Product preparation - application



It is strongly recommended to use appropriate personal protection equipment during application to avoid respiratory, skin and eye irritation.




Porous plastic parts, especially for PUR soft plastics



Apply PF96 with a lint-free cloth preferably moistened with 3911WB. Exerting pressure on the surface will allow in depth penetration of the product to obtain the sealing of the open pores.



Not applicable



2K Elastic Primer-Surfacer  
Plastic Adhesion Primer

VOC compliant

This product mix is out of scope for VOC directive

# TECHNICAL DATA SHEET



**PF96**

## PORE FILLER

### Products

PF96 Pore Filler

### Remarks

- Material has to be at room temperature (18-25°C) before use.

Consult Safety Data Sheet prior to use. Observe the precautionary notices displayed on the container.

All other products referred to in the refinish build up are from our Cromax product range. System properties will not be valid when the related material is used in combination with any other materials or additives which are not part of our Cromax product range, unless explicitly indicated otherwise.

For professional use only! The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check the information with regard to up-to-dateness and suitability for his intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved. The relevant Material Safety Data Sheet and Warnings displayed on the product label need to be observed. We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.