

3920S DEGREASER



PRODUCT DESCRIPTION

Degreaser 3920S is a solvent mixture developed for final cleaning and degreasing before application of undercoats or topcoats in the NON-VOC markets. It eliminates non-water soluble contaminants from prepared areas to obtain an exceptionally clean surface.

Final solventborne cleaner

FEATURES

01 Eliminates non-water-soluble contaminants.

TECHNICAL DATA SHEET

3920S




DEGREASER

Product preparation - application Preparatory Cleaner



It is strongly recommended to use appropriate personal protection equipment during application to avoid respiratory, skin and eye irritation.




Primer-surfacer or Surfacer, sanded.

Degrease the area to be repaired with 3920S to eliminate non-water soluble contaminants.

Wipe dry with a clean cloth.

Change cloths often, never use dirty cloths.

Never let 3920S Degreaser evaporate from the surface. Treat only one small area at the time.



Ready to use



Not applicable

VOC compliant

2004/42/IIB(a)(850) 775: The EU limit value for this product (product category: IIB(a)) in ready to use form is maximum 850 g/l of VOC. The VOC content of this product in ready to use form is maximum 775 g/l.

TECHNICAL DATA SHEET




3920S

DEGREASER


Product preparation - application Final Cleaner



It is strongly recommended to use appropriate personal protection equipment during application to avoid respiratory, skin and eye irritation.



Primer-surfacer or Surfacers, sanded.
Old or original paintwork well sanded.
Degrease the sanded surface with 3920S Degreaser just before application of Undercoats or Topcoats.
Wipe dry with a clean cloth.
Change cloths often, never use dirty cloths.
Never let 3920S Degreaser evaporate from the surface. Treat only one small area at the time.



Ready to use



Not applicable

VOC compliant

This product mix is not VOC compliant.

TECHNICAL DATA SHEET



3920S

DEGREASER

Products

3920S Degreaser

Remarks

- Close the container after use. This prevents the material to evaporate and lose strength.
- 3920S is not suitable for removal of silicones or wax polish. For this purpose use 3919S.

Consult Safety Data Sheet prior to use. Observe the precautionary notices displayed on the container.

All other products referred to in the refinish build up are from our Cromax product range. System properties will not be valid when the related material is used in combination with any other materials or additives which are not part of our Cromax product range, unless explicitly indicated otherwise.

For professional use only! The information provided in this documentation has been carefully selected and arranged by us. It is based upon our best knowledge on the subject at the date of issuance. The Information is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check the information with regard to up-to-dateness and suitability for his intended purpose. The intellectual property in this Information, including patents, trademarks and copyrights, is protected. All rights reserved. The relevant Material Safety Data Sheet and Warnings displayed on the product label need to be observed. We may modify and/ or discontinue operation of all or portions of this Information at any time in our sole discretion, without notice and assume no responsibility to update the Information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.