

#### SAFETY DATA SHEET

Section 1. Identification		
Product identifier	: D14207802	
Product name	: PP201 Powder Pearl Autumn Mystery	
Other means of identification	: Not available.	
Date of issue	: 8/9/2022	
Version	: 5	
Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	: Not available.	
Uses advised against	: Not for sale to or use by consumers.	
Supplier's details	<ul> <li>Axalta Coating Systems Australia Pty Limited</li> <li>16 Darling Street, Marsden Park NSW 2765, Australia</li> <li>Importer: Dulux Powder &amp; Industrial Coatings (NZ)</li> <li>31B Hillside Road, Glenfield, Auckland 0627, New Zealand</li> <li>Telephone: +64 9 441 8244</li> </ul>	
Product information	: +61 (0)2 8818 4300	
Emergency telephone number	: +(64) 9801 0034 NZ Poisons Information Center: 0800 764 766 or +(64) 3 479 7248	

#### Section 2. Hazards identification

This material is not classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements	
Symbol	: Not applicable.
Signal word	: No signal word.
Hazard statements	: May form combustible dust concentrations in air.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Other hazards which do not result in classification	: None known.

: Not classified.

**HSNO Classification** 

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
zirconium dioxide	1 - <3	1314-23-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

Description of necessary first aid measures

<u>Becchiption of necessary in</u>	
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Most important symptoms/e	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
<u>Over-exposure signs/sym</u>	<u>otoms</u>
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion	: No specific data.
Skin	: No specific data.
Eyes	: Adverse symptoms may include the following: irritation redness
Indication of immediate me	dical attention and special treatment needed, if necessary
Specific treatments	: Not available.
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### Section 4. First aid measures

See toxicological information (Section 11)

#### Section 5. Firefighting measures

Extinguishing media		
Suitable	Use dry chemical powder.	
Not suitable	Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.	
Specific hazards arising from the chemical	May form explosible dust-air mixture if dispersed.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: metal oxide/oxides	
Hazchem code	Not available.	
Special precautions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incide there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk Use water spray to keep fire-exposed containers cool.	
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	;
Remark	Not available.	

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drain and sewers. Inform the relevant authorities if the product has caused environment pollution (sewers, waterways, soil or air).	
Methods and material for containment and cleaning up		
Small spill	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled wa container. Dispose of via a licensed waste disposal contractor.	ste
Large spill	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place a designated, labelled waste container. Avoid creating dusty conditions and prev wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	in

### Section 7. Handling and storage

Precautions for safe handling	: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### Control parameters

#### **Occupational exposure limits**

Ingredient name			Exposure limits
zirconium dioxide			NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020). WES-TWA: 5 mg/m³, (as Zr) 8 hours. WES-STEL: 10 mg/m³, (as Zr) 15 minutes.
Appropriate engineering controls	:	vapour or mist, use proces engineering controls to kee recommended or statutory	entilation. If user operations generate dust, fumes, gas, as enclosures, local exhaust ventilation or other ep worker exposure to airborne contaminants below any / limits. The engineering controls also need to keep gas, ons below any lower explosive limits. Use explosion-proof
Environmental exposure controls	:	they comply with the requi cases, fume scrubbers, fill	or work process equipment should be checked to ensure rements of environmental protection legislation. In some ters or engineering modifications to the process ary to reduce emissions to acceptable levels.
ndividual protection measu	ires		
Hygiene measures	:	eating, smoking and using Appropriate techniques sh	d face thoroughly after handling chemical products, before the lavatory and at the end of the working period. ould be used to remove potentially contaminated clothing. ng before reusing. Ensure that eyewash stations and o the workstation location.
Respiratory protection	:	appropriate standard or ce	potential for exposure, select a respirator that meets the ertification. Respirators must be used according to a gram to ensure proper fitting, training, and other important

# Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>

### Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	:	Solid.
Colour	:	Brown.
Odour	:	Not available.
Odour threshold	:	Not available.
рН	:	Not applicable.
Melting point	:	Not applicable.
Boiling point	:	Not applicable.
Flash point	:	Closed cup: Not applicable. [Product does not sustain combustion.]
Fire point	:	Not available.
Burning rate	:	Not available.
Burning time	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Lower: 20 g/m³
Vapour pressure	:	Not available.
Vapour density	:	Not applicable.
Density	:	2.4 g/cm <sup>3</sup>
Solubility	:	Very slightly soluble in the following materials: cold water.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not applicable.
Decomposition temperature	:	Not applicable.
SADT	:	Not available.
SAPT	:	Not available.
Viscosity	:	Not applicable.
Flow time (ISO 2431)	:	Not available.

### Section 10. Stability and reactivity

Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials
Hazardous decomposition products	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>

### Section 11. Toxicological information

#### Information on likely routes of exposure

<ul> <li>Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.</li> </ul>				
: No known significant effects or critical hazards.				
: No known significant effects or critical hazards.				
<ul> <li>Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.</li> </ul>				
Symptoms related to the physical, chemical and toxicological characteristics				
: Adverse symptoms may include the following: respiratory tract irritation coughing				
: No specific data.				
: No specific data.				
: Adverse symptoms may include the following: irritation				

redness

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
zirconium dioxide	LD50 Oral	Rat - Female	>5000 mg/kg	-
Conclusion/Summary	: Not available.			
Irritation/Corrosion				
Not available.				
Skin	: Not available.			
Eyes	: Not available.			
Respiratory	: Not available.			
<u>Sensitisation</u>				
Not available.				

# Section 11. Toxicological information

	gioar information	
Skin	Not available.	
Respiratory	Not available.	
Potential chronic health ef		
General	Repeated or prolonged inhalation of dust may lead to chronic respiratory irr	ritation.
Inhalation	Repeated or prolonged inhalation of dust may lead to chronic respiratory irr	ritation.
Ingestion	No known significant effects or critical hazards.	
Skin contact	No known significant effects or critical hazards.	
Eye contact	No known significant effects or critical hazards.	
Carcinogenicity	No known significant effects or critical hazards.	
Mutagenicity	No known significant effects or critical hazards.	
Teratogenicity	No known significant effects or critical hazards.	
Developmental effects	No known significant effects or critical hazards.	
Fertility effects	No known significant effects or critical hazards.	
Chronic toxicity		
Not available.		
Conclusion/Summary	Not available.	
<u>Carcinogenicity</u>		
Not available.		
Conclusion/Summary	Not available.	
Mutagenicity	Not available.	
Not available.		
Conclusion/Summary	Not available.	
<u>Teratogenicity</u>		
Not available.		
<b>Conclusion/Summary</b>	Not available.	
Reproductive toxicity		
Not available.		
Conclusion/Summary	Not available.	
Specific target organ toxic		
Not available.		
Appiration bazard		
<u>Aspiration hazard</u> Not available.		
Numerical measures of tox		
Acute toxicity estimates		
Not available.		
Other information	Not available.	

#### Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
zirconium dioxide	Acute EC50 >100 mg/l Fresh water Acute LC50 >100 mg/l	Daphnia Fish	48 hours 96 hours
Conclusion/Summary	: Not available.	·	ŀ
Persistence/degradability			
Not available.			
Conclusion/Summary	: Not available.		
Bioaccumulative potential			
Not available.			
<u>Mobility in soil</u>			
Soil/water partition coefficient (Koc)	: Not available.		
Mobility	: Not available.		
Other adverse effects	: No known significant effects or critical hazards.		

#### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	New Zealand Class (5433)	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-

#### Section 14. Transport information No. Environmental No. No. hazards Hazchem code : Not available. Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. Transport in bulk according : Not available. to IMO instruments Proper shipping name : Not available. Ship type : Not available. Pollution category : Not available.

The actual shipping description for this product may vary based several factors including, but not limited to, the volume of material, size of the container, mode of transport and use of exemptions or exceptions found in the applicable regulations. The information provided in Section 14 is one possible shipping description for this product. Consult your shipping specialist or supplier for appropriate assignment information.

### Section 15. Regulatory information

HSNO Approval Number	: Exempt
HSNO Group Standard	: Exempt
HSNO Classification	: Not classified.

#### Section 16. Other information

<u>History</u>	
Date of issue	: 8/9/2022
Version	: 5
Prepared by	Product stewardship and regulatory compliance.
Key to abbreviations	<ul> <li>ACGIH = Association Advancing Occupational and Environmental Health ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HSWA = Health and Safety at Work Act 2015 IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) TLV = Threshold Limit Value WES = Workplace Exposure Standards</li> </ul>

Indicates information that has changed from previously issued version.

Notice to reader

#### Section 16. Other information

This product is intended for industrial use only.

Safety Data Sheet (SDS) content is believed to be accurate as of its issue date, but is subject to change as new information is received by Axalta Coatings Systems, LLC or any of its subsidiaries or affiliates (Axalta). This SDS may incorporate information that has been provided to Axalta by its suppliers. Users should ensure that they are referring to the most current version of the SDS. Users are responsible for following the precautions identified in this SDS. It is the users' responsibility to comply with all laws and regulations applicable to the safe handling, use, and disposal of the product.

Users of Axalta products should read all relevant product information prior to use, and make their own determination as to the suitability of the products for their intended use. Except as otherwise required by applicable law, AXALTA MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The information on this SDS relates only to the specific product identified in Section 1, Identification, and does not relate to its possible use in combination with any other material or in any specific process. If this product is to be used in combination with other products, Axalta encourages you to read and understand the SDS for all products prior to use.

© 2018 Axalta Coating Systems, LLC and all affiliates. All rights reserved. Copies may be made only for those using Axalta Coating Systems products.