

Safety Data Sheet

© 2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	40-6654-4	Version number:	1.00
Issue Date:	16/05/2022	Supersedes date:	Initial issue.

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

SECTION 1: Identification

1.1. Product identifier

3MTM Perfect-ItTM Gelcoat Light Cutting Polish + Wax 36109, 36110, 36111

Product Identification Numbers 60-4551-0935-9 60-4551-0936-7

00-4551-0950-7

1.2. Recommended use and restrictions on use

Recommended use

Marine

For Industrial or Professional use only

1.3. Supplier's details

Address:	3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland
Telephone:	(09) 477 4040
E Mail:	innovation@nz.mmm.com
Website:	3m.co.nz

1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

SECTION 2: Hazard identification

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture

Skin Sensitizer: Category 1A. Carcinogenicity: Category 2 Chronic Aquatic Toxicity: Category 3

2.2. Label elements SIGNAL WORD Warning

Symbols:

Exclamation mark |Health Hazard |

Pictograms



HAZARD STATEMENTS: H317 H351	May cause an allergic skin reaction. Suspected of causing cancer.
H412	Harmful to aquatic life with long lasting effects.
PRECAUTIONARY STATEMEN General P101 P102	TS If medical advice is needed, have product container or label at hand. Keep out of reach of children.
Prevention P201 P202 P261 P272 P273 P280E	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves.
Response P302 + P352 P308 + P313 P333 + P313 P362 + P364	IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage P405	Store locked up.
Disposal P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	% by Weight
Water	7732-18-5	45 - 70
Aluminium oxide	1344-28-1	10 - 30
Hydrotreated Light Petroleum Distillates	64742-47-8	10 - 30
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	3 - 7
Poly(Dimethylsiloxane)	63148-62-9	1 - 5
Amino Alkyl Polysiloxane	Trade Secret	1 - 5
Glycerin	56-81-5	0.5 - 1.5
Polyethylene-Polypropylene Glycol	9003-11-6	0.5 - 1.5
Diethanolamine	111-42-2	<= 0.25

2-Methyl-4-isothiazoline-3-one	2682-20-4	< 0.01
2-Octyl-2H-isothiazol-3-one	26530-20-1	< 0.01

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

No need for first aid is anticipated.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u> Carbon monoxide. Carbon dioxide.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

5.4. Hazchem code: Not applicable.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

Condition During combustion. During combustion.

6.3. Methods and material for containment and cleaning up

Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

Refer to Section 15 - Controls for more information

7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

7.3. Certified handler

Not required

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Diethanolamine	111-42-2	ACGIH	TWA(inhalable fraction and vapor):1 mg/m3	A3: Confirmed animal carcinogen, Danger of cutaneous absorption
Diethanolamine	111-42-2	New Zealand WES	TWA(8 hours): 13 mg/m3 (3 ppm)	Skin
Aluminium oxide	1344-28-1	New Zealand WES	TWA(8 hours):10 mg/m3	
Aluminum, insoluble compounds	1344-28-1	ACGIH	TWA(respirable fraction):1 mg/m3	A4: Not class. as human carcinogin
Glycerin	56-81-5	New Zealand WES	TWA(as mist)(8 hours):10 mg/m3	-
Kerosine (petroleum)	64742-47-8	ACGIH	TWA(as total hydrocarbon vapor, non-aerosol):200 mg/m3	A3: Confirmed animal carcin., SKIN

ACGIH : American Conference of Governmental Industrial Hygienists AIHA : American Industrial Hygiene Association CMRG : Chemical Manufacturer's Recommended Guidelines New Zealand WES : New Zealand Workplace Exposure Standards. TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Gel
Colour	White
Odour	Slight Solvent
Odour threshold	No data available.
рН	7.5 - 9
Melting point/Freezing point	No data available.
Boiling point/Initial boiling point/Boiling range	No data available.
Flash point	No flash point
Evaporation rate	No data available.
Flammability (solid, gas)	Not applicable.
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Vapor Density and/or Relative Vapor Density	No data available.
Density	1.1 - 1.1 kg/l [<i>Ref Std</i> :WATER=1]
Relative density	1.05 - 1.1 [<i>Ref Std</i> :WATER=1]
Water solubility	No data available.
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	30,000 - 40,000 mPa-s [Test Method:Brookfield]
Volatile organic compounds (VOC)	14.5 % weight [<i>Test Method</i> :calculated per CARB title 2]
Percent volatile	71.2 % weight
VOC less H2O & exempt solvents	417 g/l [<i>Test Method</i> :calculated SCAQMD rule 443.1]

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions Hazardous polymerisation will not occur.

10.4 Conditions to avoid None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products Substance

None known.

Condition

Refer to Section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching. May cause additional health effects (see below).

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity Name Route Species Value Overall product Inhalation-No data available; calculated ATE >50 mg/l Vapor(4 hr) Overall product No data available; calculated ATE >5,000 mg/kg Ingestion Aluminium oxide Dermal LD50 estimated to be > 5,000 mg/kg Aluminium oxide Inhalation-Rat LC50 > 2.3 mg/lDust/Mist (4 hours) Aluminium oxide Rat LD50 > 5,000 mg/kg Ingestion Hydrotreated Light Petroleum Distillates Inhalation-Professio LC50 estimated to be 20 - 50 mg/l Vapor nal judgeme nt Rabbit Hydrotreated Light Petroleum Distillates Dermal LD50 > 5,000 mg/kgLD50 > 5,000 mg/kg Hydrotreated Light Petroleum Distillates Ingestion Rat Polyethylene Glycol Sorbitan Monooleate Dermal Not LD50 > 5,000 mg/kg available Polyethylene Glycol Sorbitan Monooleate Inhalation-LC50 > 5.1 mg/l Rat Dust/Mist (4 hours) Polyethylene Glycol Sorbitan Monooleate Ingestion Rat LD50 20,000 mg/kg Poly(Dimethylsiloxane) Dermal Rabbit LD50 > 19,400 mg/kgPoly(Dimethylsiloxane) LD50 > 17,000 mg/kg Rat Ingestion Polyethylene-Polypropylene Glycol Dermal Professio LD50 estimated to be > 5,000 mg/kg nal judgeme nt Polyethylene-Polypropylene Glycol Rat LD50 5,700 mg/kg Ingestion LD50 estimated to be > 5,000 mg/kgGlycerin Dermal Rabbit LD50 > 5,000 mg/kg Glycerin Ingestion Rat LD50 8,180 mg/kg Rabbit Diethanolamine Dermal LD50 1,410 mg/kg Rat Diethanolamine Ingestion 2-Methyl-4-isothiazoline-3-one Dermal Rabbit LD50 87 mg/kg 2-Methyl-4-isothiazoline-3-one Inhalation-Rat LC50 0.33 mg/l Dust/Mist (4 hours) 2-Methyl-4-isothiazoline-3-one LD50 40 mg/kg Ingestion Rat 311 mg/kg 2-Octyl-2H-isothiazol-3-one Dermal Rabbit LD50 2-Octyl-2H-isothiazol-3-one Inhalation-Rat LC50 0.27 mg/l Dust/Mist (4 hours) 2-Octyl-2H-isothiazol-3-one Ingestion Rat LD50 125 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Aluminium oxide	Rabbit	No significant irritation
Hydrotreated Light Petroleum Distillates	Rabbit	Mild irritant
Polyethylene Glycol Sorbitan Monooleate	Rabbit	No significant irritation
Poly(Dimethylsiloxane)	Rabbit	No significant irritation
Glycerin	Rabbit	No significant irritation
Diethanolamine	Rabbit	Mild irritant
2-Methyl-4-isothiazoline-3-one	Rabbit	Corrosive

2-Octyl-2H-isothiazol-3-one	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Aluminium oxide	Rabbit	No significant irritation
Hydrotreated Light Petroleum Distillates	Rabbit	Mild irritant
Polyethylene Glycol Sorbitan Monooleate	Rabbit	No significant irritation
Poly(Dimethylsiloxane)	Rabbit	No significant irritation
Glycerin	Rabbit	No significant irritation
Diethanolamine	Rabbit	Severe irritant
2-Methyl-4-isothiazoline-3-one	Rabbit	Corrosive
2-Octyl-2H-isothiazol-3-one	similar	Corrosive
	health	
	hazards	

Sensitisation:

Skin Sensitisation

Name	Species	Value
Hydrotreated Light Petroleum Distillates	Guinea	Not classified
	pig	
Polyethylene Glycol Sorbitan Monooleate	Guinea	Not classified
	pig	
Glycerin	Guinea	Not classified
	pig	
Diethanolamine	Human	Not classified
	and	
	animal	
2-Methyl-4-isothiazoline-3-one	Human	Sensitising
	and	
	animal	
2-Octyl-2H-isothiazol-3-one	Human	Sensitising
	and	
	animal	

Photosensitisation

Name	Species	Value
2-Methyl-4-isothiazoline-3-one	Human	Not sensitizing
	and	
	animal	

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Aluminium oxide	In Vitro	Not mutagenic
Hydrotreated Light Petroleum Distillates	In Vitro	Not mutagenic
Hydrotreated Light Petroleum Distillates	In vivo	Not mutagenic
Polyethylene Glycol Sorbitan Monooleate	In Vitro	Not mutagenic
Diethanolamine	In Vitro	Not mutagenic
2-Methyl-4-isothiazoline-3-one	In vivo	Not mutagenic
2-Methyl-4-isothiazoline-3-one	In Vitro	Some positive data exist, but the data are not
		sufficient for classification
2-Octyl-2H-isothiazol-3-one	In Vitro	Not mutagenic
2-Octyl-2H-isothiazol-3-one	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Aluminium oxide	Inhalation	Rat	Not carcinogenic
Hydrotreated Light Petroleum Distillates	Not	Not	Not carcinogenic
	specified.	available	
Polyethylene Glycol Sorbitan Monooleate	Ingestion	Rat	Some positive data exist, but the data are not sufficient for classification
Glycerin	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
Diethanolamine	Dermal	Mouse	Carcinogenic.
2-Methyl-4-isothiazoline-3-one	Dermal	Mouse	Not carcinogenic
2-Methyl-4-isothiazoline-3-one	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Hydrotreated Light Petroleum Distillates	Not specified.	Not classified for female reproduction	Rat	NOAEL Not available	1 generation
Hydrotreated Light Petroleum Distillates	Not specified.	Not classified for male reproduction	Rat	NOAEL Not available	1 generation
Hydrotreated Light Petroleum Distillates	Not specified.	Not classified for development	Rat	NOAEL Not available	1 generation
Polyethylene Glycol Sorbitan Monooleate	Ingestion	Not classified for female reproduction	Rat	NOAEL 6,666 mg/kg/day	3 generation
Polyethylene Glycol Sorbitan Monooleate	Ingestion	Not classified for male reproduction	Rat	NOAEL 6,666 mg/kg/day	3 generation
Polyethylene Glycol Sorbitan Monooleate	Ingestion	Not classified for development	Rat	NOAEL 5,000 mg/kg/day	during organogenesis
Glycerin	Ingestion	Not classified for female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not classified for development	Rat	NOAEL 2,000 mg/kg/day	2 generation
Diethanolamine	Ingestion	Not classified for male reproduction	Rat	NOAEL 97 mg/kg/day	13 weeks
Diethanolamine	Dermal	Not classified for development	Rabbit	NOAEL 100 mg/kg/day	during organogenesis
Diethanolamine	Ingestion	Not classified for development	Rat	NOAEL 50 mg/kg/day	during organogenesis
2-Methyl-4-isothiazoline-3-one	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
2-Methyl-4-isothiazoline-3-one	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
2-Methyl-4-isothiazoline-3-one	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis
2-Octyl-2H-isothiazol-3-one	Ingestion	Not classified for development	Rabbit	NOEL 20 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Diethanolamine	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL not available	
Diethanolamine	Ingestion	kidney and/or	May cause damage to organs	Rat	NOAEL 200	not applicable

		bladder			mg/kg	
Diethanolamine	Ingestion	central nervous system depression	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 200 mg/kg	not applicable
Diethanolamine	Ingestion	liver	Not classified	Rat	NOAEL 1,600 mg/kg	not applicable
2-Methyl-4-isothiazoline- 3-one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
2-Octyl-2H-isothiazol-3- one	Inhalation	respiratory irritation	May cause respiratory irritation	Rat	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration	
Aluminium oxide	Inhalation	pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure	
Aluminium oxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure	
Polyethylene Glycol Ingestion heart endocrine Not classified Sorbitan Monooleate ingestion heart endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system liver immune system nervous system kidney and/or bladder respiratory system			Rat	NOAEL 4,132 mg/kg/day	90 days		
Glycerin	Inhalation	respiratory system heart liver kidney and/or bladder	Not classified	Rat	NOAEL 3.91 mg/l	14 days	
Glycerin	Ingestion	endocrine system hematopoietic system liver kidney and/or bladder	Not classified	Rat	NOAEL 10,000 mg/kg/day	2 years	
Diethanolamine	Dermal	hematopoietic system	May cause damage to organs though prolonged or repeated exposure	Rat	LOAEL 32 mg/kg/day	13 weeks	
Diethanolamine	Dermal	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 8 mg/kg/day	2 years	
Diethanolamine	Dermal	liver	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks	
Diethanolamine	Inhalation	liver kidney and/or bladder	Not classified	Rat	NOAEL 0.03 mg/l	13 weeks	
Diethanolamine	Ingestion	hematopoietic system	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 14 mg/kg/day	13 weeks	
Diethanolamine	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 57 mg/kg/day	13 weeks	
Diethanolamine	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL not available	13 weeks	
Diethanolamine	Ingestion	liver	Not classified	Rat	NOAEL 436 mg/kg/day	13 weeks	

Aspiration Hazard

Name	Value
Hydrotreated Light Petroleum Distillates	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information

on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 3 (HSNO 9.1D Aquatic toxicity) Chronic Aquatic Toxicity: Category 3 (HSNO 9.1C Aquatic toxicity)

No product test data available.

Material C	CAS Number	Organism	Туре	Exposure	Test endpoint	Test result
Aluminium 13	344-28-1	Fish	Experimental	96 hours	LC50	>100 mg/l
oxide						
Aluminium 13	344-28-1	Green algae	Experimental	72 hours	EC50	>100 mg/l
oxide						
Aluminium 13	344-28-1	Water flea	Experimental	48 hours	LC50	>100 mg/l
oxide						
Aluminium 13	344-28-1	Green algae	Experimental	72 hours	NOEC	>100 mg/l
oxide						
Hydrotreated 64	4742-47-8	Green algae	Experimental	72 hours	EL50	>1,000 mg/l
Light						
Petroleum						
Distillates						
5	4742-47-8	Rainbow trout	Experimental	96 hours	LL50	>1,000 mg/l
Light						
Petroleum						
Distillates						
J	4742-47-8	Water flea	Experimental	48 hours	EL50	>1,000 mg/l
Light						
Petroleum						
Distillates						
5	4742-47-8	Green algae	Experimental	72 hours	NOEL	1,000 mg/l
Light						
Petroleum						
Distillates		<u> </u>				10.000 //
5 5	005-65-6	Copepod	Estimated	48 hours	LL50	>10,000 mg/l
Glycol Sorbitan						
Monooleate	005 (5 (D (1)	70.1	FI 50	50.04 /1
	005-65-6	Green algae	Estimated	72 hours	EL50	58.84 mg/l
Glycol Sorbitan						
Monooleate	005 (5 (7.1 5.1		0(1	1.070	> 100 /1
5 5	005-65-6	Zebra Fish	Estimated	96 hours	LC50	>100 mg/l
Glycol Sorbitan						
Monooleate	005 (5 (E atima da d	72.1		10.05
5 5	005-65-6	Green algae	Estimated	72 hours	EC10	19.05 mg/l
Glycol Sorbitan						
Monooleate	005 (5 (Watan flaa	Estimated	21 dager	NOEL	10 m c/l
Polyethylene 90	005-65-6	Water flea	Estimated	21 days	INUEL	10 mg/l

	1	1	T	T		
Glycol Sorbitan						
Monooleate		_				
Poly(Dimethyls	63148-62-9		Data not			N/A
iloxane)			available or			
			insufficient for			
<u></u>	56.01.5	D ()	classification	161	NOEG	10.000 //
Glycerin	56-81-5	Bacteria	Experimental	16 hours	NOEC	10,000 mg/l
Glycerin	56-81-5	Rainbow trout	Experimental	96 hours	LC50	54,000 mg/l
Glycerin	56-81-5	Water flea	Experimental	48 hours	LC50	1,955 mg/l
Polyethylene-	9003-11-6		Data not			N/A
Polypropylene			available or			
Glycol			insufficient for			
			classification			
Diethanolamin	111-42-2	Fathead	Experimental	96 hours	LC50	100 mg/l
e		minnow				
Diethanolamin	111-42-2	Green algae	Experimental	72 hours	EC50	9.5 mg/l
e						
Diethanolamin	111-42-2	Water flea	Experimental	48 hours	LC50	2.15 mg/l
e						
Diethanolamin	111-42-2	Green algae	Experimental	72 hours	NOEC	0.6 mg/l
e						
Diethanolamin	111-42-2	Water flea	Experimental	21 days	NOEC	0.78 mg/l
e						
2-Methyl-4-	2682-20-4	Activated	Experimental	3 hours	EC50	41 mg/l
isothiazoline-3-		sludge				
one						
2-Methyl-4-	2682-20-4	Green algae	Experimental	96 hours	EC50	0.23 mg/l
isothiazoline-3-						
one				0.61		
2-Methyl-4-	2682-20-4	Mysid Shrimp	Experimental	96 hours	LC50	1.81 mg/l
isothiazoline-3-						
one		D 1	E 1 1	0.6.1	1.050	4.55 (1
2-Methyl-4-	2682-20-4	Rainbow trout	Experimental	96 hours	LC50	4.77 mg/l
isothiazoline-3-						
one				40.1	- FG50	0.024 /1
2-Methyl-4-	2682-20-4	Water flea	Experimental	48 hours	EC50	0.934 mg/l
isothiazoline-3-						
one 2-Methyl-4-	2682-20-4	Fathead	E-m anim antal	22 dana	NOEC	2.1 mg/l
isothiazoline-3-	2082-20-4	minnow	Experimental	33 days	NOEC	2.1 mg/1
		miniow				
one 2-Methyl-4-	2682-20-4	Green algae	Experimental	96 hours	NOEC	0.12 mg/l
isothiazoline-3-	2082-20-4	Green algae	Experimental	90 nours	NUEC	0.12 mg/1
one						
2-Methyl-4-	2682-20-4	Water flea	Experimental	21 days	NOEC	0.044 mg/l
isothiazoline-3-	2082-20-4	water nea	Experimental	21 days	NOEC	0.044 mg/1
one						
2-Octyl-2H-	26530-20-1	Diatom	Experimental	72 hours	EC50	0.0015 mg/l
isothiazol-3-	20330-20-1			/2 110415		0.0015 1118/1
one						
2-Octyl-2H-	26530-20-1	Green algae	Experimental	72 hours	EC50	0.084 mg/l
isothiazol-3-	20330-20-1			/2 110415		
one						
2-Octyl-2H-	26530-20-1	Mysid Shrimp	Experimental	96 hours	LC50	0.071 mg/l
2 Outy1-211-	20330-20-1	In suring	Experimental	20 110013	12030	0.071 1118/1

isothiazol-3-						
one						
2-Octyl-2H- isothiazol-3- one	26530-20-1	Rainbow trout	Experimental	96 hours	LC50	0.036 mg/l
2-Octyl-2H- isothiazol-3- one	26530-20-1	Sheepshead Minnow	Experimental	96 hours	LC50	0.18 mg/l
2-Octyl-2H- isothiazol-3- one	26530-20-1	Water flea	Experimental	48 hours	EC50	0.42 mg/l
2-Octyl-2H- isothiazol-3- one	26530-20-1	Diatom	Experimental	72 hours	NOEC	0.00068 mg/l
2-Octyl-2H- isothiazol-3- one	26530-20-1	Green algae	Experimental	72 hours	NOEC	0.0156 mg/l
2-Octyl-2H- isothiazol-3- one	26530-20-1	Water flea	Experimental	21 days	NOEC	0.0016 mg/l
2-Octyl-2H- isothiazol-3- one	26530-20-1	Activated sludge	Experimental	3 hours	EC50	30.4 mg/l
2-Octyl-2H- isothiazol-3- one	26530-20-1	Bobwhite quail	Experimental	14 days	LD50	384 ppm diet
2-Octyl-2H- isothiazol-3- one	26530-20-1	Lettuce	Experimental	17 days	EC50	45 mg/kg (Dry Weight)
2-Octyl-2H- isothiazol-3- one	26530-20-1	Redworm	Experimental	14 days	LC50	866 mg/kg (Dry Weight)
2-Octyl-2H- isothiazol-3- one	26530-20-1	Soil microbes	Experimental	28 days	EC50	84.1 mg/kg (Dry Weight)

12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Aluminium oxide	1344-28-1	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Hydrotreated Light Petroleum Distillates	64742-47-8	Estimated Biodegradation	28 days	BOD	69 %BOD/ThB OD	OECD 301F - Manometric respirometry
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	Experimental Biodegradation	28 days	CO2 evolution	61 % weight	Non-standard method
Poly(Dimethyls iloxane)	63148-62-9	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Glycerin	56-81-5	Experimental Biodegradation	14 days	BOD	63 %BOD/ThB OD	OECD 301C - MITI test (I)

Polyethylene-	9003-11-6	Data not	N/A	N/A	N/A	N/A
Polypropylene		availbl-				
Glycol		insufficient				
Diethanolamin	111-42-2	Experimental	10 days	BOD	72 % weight	OECD 301D - Closed
e		Biodegradation				bottle test
2-Methyl-4-	2682-20-4	Experimental	29 days	CO2 evolution	50 %CO2	OECD 301B - Modified
isothiazoline-3-		Biodegradation			evolution/THC	sturm or CO2
one					O2 evolution	
2-Octyl-2H-	26530-20-1	Experimental	28 days	BOD	<	OECD 301D - Closed
isothiazol-3-		Biodegradation			10 %BOD/ThB	bottle test
one					OD	
2-Octyl-2H-	26530-20-1	Experimental	59 days	Dissolv.	88 % removal	OECD 303A -
isothiazol-3-		Aquatic		Organic	of DOC	Simulated Aerobic
one		Inherent		Carbon Deplet		
		Biodegrad.		_		

12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Aluminium oxide	1344-28-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Hydrotreated Light Petroleum Distillates	64742-47-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Poly(Dimethyls iloxane)	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Glycerin	56-81-5	Experimental Bioconcentrati on		Log Kow	-1.76	Non-standard method
Polyethylene- Polypropylene Glycol	9003-11-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Diethanolamin e	111-42-2	Experimental Bioconcentrati on		Log Kow	-2.18	Non-standard method
2-Methyl-4- isothiazoline-3- one	2682-20-4	Experimental Bioconcentrati on		Log Kow	-0.486	Non-standard method
2-Octyl-2H- isothiazol-3- one	26530-20-1	Experimental Bioconcentrati on		Log Kow	2.92	OECD 117 log Kow HPLC method

12.4. Mobility in soil Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

SECTION 14: Transport Information

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable. IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable. Marine Pollutant: Not applicable.

SECTION 15: Regulatory information

HSNO Approval numberHSR002670Group standard nameSurface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020HSNO Hazard classificationRefer to Section 2: Hazard identification

NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements. Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous

Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

Contribut handlan	Not received
Certified handler	Not required
Location Compliance Certificate	Not required
Hazardous atmosphere zone	Not required
Fire extinguishers	Not required
Emergency response plan	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances)
Secondary containment	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances)
Tracking	Not required
Warning signage	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4 substances)

SECTION 16: Other information

Revision information:

Initial issue.

Document group:	40-6654-4	Version number:	1.00
Issue Date:	16/05/2022	Supersedes date:	Initial issue.

Key to abbreviations and acronyms

GHS refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz