

SAFETY DATA SHEET Juice Q-Cut

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, 2011

SECTION 1: Identification: Product Identifier and Chemical Identity

Product Identifier

Product name Juice Q-Cut

Product no. JPQC1L, JPQC4L, JPQC500

Relevant identified uses of the substance or mixture and uses advised against

Application Car maintenance – polish

Uses advised against For professional use only. This product is not recommended for any other industrial,

professional or consumer use other than specified above.

Details of the supplier of the Safety Data Sheet

Supplier Sydney Automotive Paint and Equipment Pty Ltd

Unit A3, 366 Edgar Street

Condell Park NSW 2200 Australia

Tel: +61 2 9772 9000

Email: reception@sape.com.au

www.juicepolishes.com.au

www.sape.com.au

NZ Distributor Resene Automotive & Light Industrial

4 Te Apunga Place

Sylvia Park Auckland NZ 1641

Tel: +64 9 259 2738 www.resene.co.nz

Emergency Information

Emergency telephone NZ Poison Information Centre 0800 764 766 or +64 3 479 7248

General medical information +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST) **Transport information** +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture

Physical and health hazards Not classified as hazardous according to New Zealand Hazardous Substances

(Minimum Degrees of Hazard) Regulations, 2001

Not classified as a dangerous good according to NZS 5433:2012, Transport of

Dangerous Goods on Land, UN, IMDG and IATA.

HSNO Classification Not classified as hazardous.

Environmental hazards Not classified

Label elements

GHS hazard symbols

GHS signal word

Hazard statements

Not classified

Not classified

Not classified

Not classified

Given for information only:

P264 - Wash contaminated clothing thoroughly after handling

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/ attention.

Other hazard information

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition and Information on Ingredients

The product is a mixture of abrasive, solvents and water.

Aluminium Oxide	GHS Hazardous: N	35<70%
CAS number 1344-28-1		
Distillates (petroleum), hydrotreated light.	GHS Hazardous: Y	14<18%
CAS number 64742-47-8		
White Mineral Oil (Petroleum)	GHS Hazardous: Y	5<8%
CAS number 8042-47-5		
Bronopol (INN)	GHS Hazardous: Y	0.01<0.1%
CAS number 52-51-7		

SECTION 4: First Aid Measures

Description of first aid measures

General information Show this Safety Data Sheet to any medical personnel.

Inhalation Remove affected person from source of contamination. Move affected person to fresh air

and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious

person on their side in the recovery position and ensure breathing can take place.

Ingestion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of

water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at

rest in a position comfortable for breathing.

Skin Contact Rinse with water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 10 minutes.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information See Section 11 for additional information on health hazards. The severity of the symptoms

described will vary dependent on the concentration and the length of exposure.

Inhalation Prolonged inhalation of high concentrations may damage respiratory system.

Ingestion Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may

be inhaled, resulting in the same symptoms as inhalation.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact May cause temporary eye irritation.

Indication of any immediate medical attention and special treatment needed

SECTION 5: Fire Fighting Measures

Extinguishing media

Suitable extinguishing media The product is not flammable.

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water

fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive

pressure build-up.

Hazardous combustion products Thermal decomposition or combustion products may include harmful gases or

vapours.

Advice for firefighters

Protective actionsAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed

to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate

authorities.

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and

appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental Release Measures

Precautions, protective equipment and emergency procedures

Personal precautionsNo action shall be taken without appropriate training or involving any personal risk.

Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled

material.

Environmental precautions Slightly soluble in water. Aquatic toxicity is unlikely to occur. However, large or

frequent spills may have hazardous effects on the environment. Absorb spillage with non-combustible, absorbent material. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up Wear protect

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Reference to other sections

Reference to other sections For personal protection, see Section 8.

See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

For waste disposal, see Section 13.

SECTION 7: Handling and Storage

Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as

described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not

handle broken packages without protective equipment.

Occupation hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing and

wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving

workplace.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in accordance with local regulations. Keep only in the original container.

Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be

leak-tight, jointless and not absorbent.

Storage class Chemical storage.

Specific end use(s)

Specific end use The identified uses for this product are detailed in Section 1.

SECTION 8: Exposure Controls and Personal Protection

Occupational exposure limits

Aluminium oxide Long-term exposure limit (8-hour TWA): 10 mg/m³

Exposure controls

Protective equipment





Juice Q-Cut

Engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most glove should be chosen in consultation with supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.

Environmental exposure control Keep container tightly sealed when not in use.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Viscous liquid. Liquid. **Appearance**

Colour White

Juice Q-Cut

Odour Mild (or faint)
Odour threshold Not available
pH Not applicable

Melting point ~ 0°C

Initial boiling point and range > 100°C @ 760 mm Hg Flash point > 77°C CC (Closed cup)

Evaporation rate Not available Flammability Limit - Lower(%) Not available.

Other flammability

This product does not sustain combustion, according to the sustained

combustibility test L.2, Part III, section 32 of the UN Recommendations on the

Transport of Dangerous Goods, Manual of Tests and Criteria.

Vapour pressure > 0.04 kPa @ 20°C

Vapour density Not available Relative density ~ 1.380 @ (20°C)

Solubility Value (g/100g H2O) Slightly soluble in water (20°C)

Partition coefficient

Auto-ignition temperature

Not available.

Decomposition Temperature

Not available.

Viscosity Kinematic viscosity > 20.5 mm²/s.

Oxidising properties Not applicable.

Volatile organic compoundsThis product contains a maximum VOC content of 262 g/litre.

Comments Information declared as "Not available" or "Not applicable" is not considered to be

relevant to the implementation of the proper control measures.

SECTION 10: Stability and Reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as recommended. Stable

under the prescribed storage conditions.

Possibility of hazardous reactions No potentially hazardous reactions known.

Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.

Materials to avoid No specific material or group of materials is likely to react with the product to

produce a hazardous situation.

Hazardous decomposition Does not decompose when used and stored as recommended. Thermal

decomposition or combustion products may include harmful gases or vapours.

SECTION 11: Toxicological Information

Information on toxicological effects

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Human skin model test Scientifically unjustified.

Extreme pH Not applicable.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met. Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

Inhalation Prolonged inhalation of high concentrations may damage respiratory system.

Juice Q-Cut

Ingestion Gastrointestinal symptoms, including upset stomach. Fumes from the stomach

contents may be inhaled, resulting in the same symptoms as inhalation.

Skin Contact Prolonged contact may cause dryness of the skin.

Eye contact May cause temporary eye irritation.

Acute and chronic health hazards This product has low toxicity. Only large quantities are likely to have adverse

effects on human health.

Route of entry Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

Medical symptoms No specific symptoms noted, but this chemical may still have adverse health

impact, either in general or on certain individuals.

Medical considerations Not known.

Toxicological information on ingredients

Aluminium oxide

Toxicological effects No data recorded.

Other health effects There is no evidence that the product can cause cancer.

Distillates (petroleum), hydrotreated light.

Acute toxicity – oral Acute toxicity oral (LD₅₀ 5,000.0 mg/kg)

Species Rat

Acute toxicity - dermal Acute toxicity dermal (LD₅₀ 2,000.0 mg/kg)

Species Rabbit

Skin corrosion/irritation

Animal data Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). Not

irritating.

Human skin model test Not available.

Serious eye damage/irritation Not irritating.

Respiratory sensitisation

Respiratory sensitisation There is no evidence that the material can lead to respiratory hypersensitivity.

Skin sensitisation Buehler test: - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro

Negative. This substance has no evidence of mutagenic properties

Genotoxicity - in vivo

Negative. This substance has no evidence of mutagenic properties

Carcinogenicity There is no evidence that the product can cause cancer.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 750 mg/kg, Oral, Rat

Inhalation No specific health hazards known.

Ingestion Harmful: may cause lung damage if swallowed. Entry into the lungs following

ingestion or vomiting may cause chemical pneumonitis.

Juice Q-Cut

Skin contactNo specific health hazards known.Eye contactNo specific health hazards known.

Medical symptoms Skin irritation.

White Mineral Oil (Petroleum)

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral Acute toxicity oral (LD_{so} 2,000.0 mg/kg)

Species Rat

Acute toxicity - dermal Acute toxicity dermal (LD₅₀ 2,000.0 mg/kg)

Species Rabbit

Respiratory sensitisationNot sensitising. **Skin sensitisation**Not sensitising.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills

may have hazardous effects on the environment.

Toxicity Based on available data the classification criteria are not met.

Acute toxicity-fish Not determined.

Acute toxicity-aquatic invertebrates Not determined.

Acute toxicity-aquatic plants Not determined.

Acute toxicity-microorganisms

Not determined.

Not determined.

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

Mobility in soilThe product is partly soluble in water and may spread in the aquatic environment.

The product is non-volatile.

PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects None known.

Ecological information on ingredients

Distillates (petroleum), hydrotreated light.

EcotoxicityThe product components are not classified as environmentally hazardous.

However, large or frequent spills may have hazardous effects on the environment.

Acute toxicity-fish LC_{50} , 96 hours: > 2-5 mg/l, Fish

Acute toxicity-aquatic invertebrates EC₅₀, 48 hours: 1.4 mg/l, Daphnia magna

Acute toxicity-aquatic plants IC₅₀, 72 hours: 1-3 mg/l, Algae

Juice Q-Cut

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water-solubility of

this product.

Mobility in soil

The product contains volatile organic compounds (VOCs) which will evaporate

easily from all surfaces. The product is insoluble in water and will spread on the

water surface.

White Mineral Oil (Petroleum)

Ecotoxicity The product components are not classified as environmentally hazardous.

However, large or frequent spills may have hazardous effects on the environment.

Acute toxicity-fish LC₅₀, 96 hours: > 400 000 , Onchorhynchus mykiss (Rainbow trout)

Acute toxicity-aquatic invertebrates LC₅₀, 96 hours: > 500 000 , Marinewater invertebrates

Persistence and degradability The product is expected to be slowly biodegradable.

Bioaccumulative potentialThe product does not contain any substances expected to be bioaccumulating.

Mobility in soil The product is insoluble in water and will spread on the water surface.

Aluminium oxide

Persistence and degradability The product is not biodegradable.

Bioaccumulative potential Accumulates in soil and sediment

Mobility in soil Not considered mobile

SECTION 13: Disposal Considerations

Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners

may retain some product residues and hence be potentially hazardous.

Disposal methodsDispose of surplus products and those that cannot be recycled via a licensed waste

disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not

feasible.

SECTION 14: Transport Information

General The product is not covered by international regulations on the transport of

dangerous goods (IMDG, IATA, ADR/RID).

Juice Q-Cut

UN number Not applicable.

UN proper shipping name Not applicable.

Transport hazard class(es) No transport warning sign required.

Packing group Not applicable.

Environmentally hazardous substance/marine pollutant No

Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory Information

Inventories

Australia – AllC All the ingredients are listed or exempt.

NZIoC All the ingredients are listed or exempt.

HSNO Approval CodeNot assigned, non-hazardous

SECTION 16: Any Other Relevant Information

General information This product has been manufactured under ISO 9001 and ISO 14001 Quality and

Environmental Management Systems. Only trained personnel should use this

material.

Training advice Read and follow manufacturer's recommendations. Only trained personnel should

use this material.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous

revision.

Issued by Sydney Automotive Paints and Equipment

Unit A3, 366 Edgar Street, Condell Park

NSW, 2200, Australia www.sape.com.au

reception@sape.com.au Tel +61 2 9772 9000

Revision date 02/11/2022

Revision 6

Supersedes date 17/10/2017

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.