# RESENE CONTAINERSHIELD INTERIOR RESENE AUTOMOTIVE & LIGHT INDUSTRIAL

Version No: 3.3

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Issue Date: 03/03/2023 Print Date: 03/03/2023 L.GHS.NZL.EN

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier			
Product name RESENE CONTAINERSHIELD INTERIOR			
Synonyms	Not Available		
Other means of identification	Not Available		
Other means of identification	Not Available		

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	11250

#### Details of the manufacturer or supplier of the safety data sheet

Registered company name	RESENE AUTOMOTIVE & LIGHT INDUSTRIAL		
Address	2-50 Vogel Street Naenae Wellington New Zealand		
Telephone	5770500		
Fax	+64 4 5773327		
Website	www.resene.co.nz		
Email	advice@resene.co.nz		

#### **Emergency telephone number**

Association / Organisation NZ POISONS (24hr 7 days)		CHEMWATCH EMERGENCY RESPONSE (24/7)	
Emergency telephone numbers 0800 764766		+64 800 700 112	
Other emergency telephone numbers	0800 737636	+61 3 9573 3188	

Once connected and if the message is not in your preferred language then please dial 01

# **SECTION 2 Hazards identification**

Classification	of the	substance	or	mixture	

Classification [1]	Hazardous to the Aquatic Environment Long-Term Hazard Category 3		
Legend:	Legend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex		
Determined by Chemwatch using GHS/HSNO criteria	9.1C		

# Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

# Hazard statement(s

Hazaru statement(s)		
H412	Harmful to aquatic life with long lasting effects.	

# Precautionary statement(s) Prevention

P273	Avoid release to the environment
F2/3	Avoid release to the environment

# Precautionary statement(s) Response

Not Applicable

# Precautionary statement(s) Storage

Not Applicable

# Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
------	--

#### **SECTION 3 Composition / information on ingredients**

Version No: **3.3** Page **2** of **8** Issue Date: **03/03/2023** 

# RESENE CONTAINERSHIELD INTERIOR

Print Date: 03/03/2023

#### **Substances**

See section below for composition of Mixtures

Ingredients are required by the Hazard Substances (Safety Data Sheets) Notice 2017, EPA consolidation 30 April 2021 to be identified:

#### Mixtures

CAS No	%[weight]	Name
7632-00-0	0.1-0.5	sodium nitrite
25265-77-4	1-5	2.2.4-trimethyl-1.3-pentanediol monoisobutyrate
84133-50-6	0.1-1	alcohols C12-14 secondary ethoxylated
Legend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Anne 4. Classification drawn from C&L * EU IOELVs available		

# **SECTION 4 First aid measures**

# Description of first aid measures

Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>
Inhalation	If aerosols, fumes, or combustion products are inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop seek medical attention.
Skin Contact	If skin or hair contact occurs:  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Eye Contact  If this product comes in contact with eyes:  Wash out immediately with water.  If irritation continues, seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.	

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 Firefighting measures**

# Extinguishing media

► Alcohol stable foam.

# Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result		
Advice for firefighters			
Fire Fighting	► Alert Fire Brigade and tell them location and nature of hazard.		
Fire/Explosion Hazard	► Non combustible. Burning release: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes.		

# **SECTION 6 Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

# Methods and material for containment and cleaning up

Minor Spills	Control personal contact with the substance, by using personal protective equipment. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Clean area with large quantity of water to complete clean- up.
Major Spills	Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear appropriate personnel protective equipment and clothing to prevent exposure. Avoid breathing in mists or vapours and skin or eyes contact. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services.

Version No: **3.3** Page **3** of **8** Issue Date: **03/03/2023** 

# RESENE CONTAINERSHIELD INTERIOR

Print Date: 03/03/2023

# **SECTION 7 Handling and storage**

#### Precautions for safe handling

Safe handling	Avoid unnecessary personal contact, including inhalation.
Other information	► Store in original containers.

# Conditions for safe storage, including any incompatibilities

Suitable container	As supplied by manufacturer.
Storage incompatibility	► Strong oxidisers

# SECTION 8 Exposure controls / personal protection

# **Control parameters**

Occupational Exposure Limits (OEL)

# INGREDIENT DATA

Not Available

# **Emergency Limits**

Ingredient	TEEL-1	TEEL-2	TEEL-3
sodium nitrite	6.4 mg/m3	71 mg/m3	240 mg/m3
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	13 mg/m3	140 mg/m3	840 mg/m3

Ingredient	Original IDLH	Revised IDLH
sodium nitrite	Not Available	Not Available
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available	Not Available
alcohols C12-14 secondary ethoxylated	Not Available	Not Available

# Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
sodium nitrite	Е	≤ 0.01 mg/m³
alcohols C12-14 secondary ethoxylated	Е	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

# MATERIAL DATA

# Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Individual protection measures, such as personal protective equipment	
Eye and face protection	Safety glasses with side shields     Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves.  The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.
Body protection	See Other protection below
Other protection	► Overalls.

#### Respiratory protection

Not usually required. Where the concentration of vapours in the breathing zone approaches or exceeds the "Exposure Standards" respiratory protection is required. Type A Filter of sufficient capacity.

# **SECTION 9 Physical and chemical properties**

Version No: **3.3** Page **4** of **8** Issue Date: **03/03/2023** 

# RESENE CONTAINERSHIELD INTERIOR

Print Date: 03/03/2023

# Information on basic physical and chemical properties

Appearance	Dispersion		
Physical state	Liquid	Relative density (Water = 1)	1.32-1.36
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8-9	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	800-950
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available BuAC = 1	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	60-70
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	<50

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	This product is stable and non-reactive under normal conditions of use, storage and transport.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

# Information on toxicological effects

illiorillation on toxicological el			
Inhaled	Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful.  The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models).		
Ingestion	The material is not thought to produce adverse health effects following ingestion (as classified by EC Directives using animal models).		
Skin Contact	Skin contact is not thought to produce harmful health effects (as classified under EC Directives using animal models).  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects.		
Еуе	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	None known		
	'		
RESENE CONTAINERSHIELD INTERIOR	TOXICITY IRRITATION  Not Available Not Available		
sodium nitrite	TOXICITY Inhalation(Rat) LC50: 0.006 mg/L4h <sup>[2]</sup>		IRRITATION  Eye (rabbit): 500 mg/24hr - mild

Version No: 3.3 Page 5 of 8 Issue Date: 03/03/2023

# RESENE CONTAINERSHIELD INTERIOR

Print Date: 03/03/2023

	Oral (Rat) LD50: 180 mg/kg <sup>[2]</sup>			
	TOXICITY	IRRITATION		
	dermal (guinea pig) LD50: >19 mg/kg <sup>[2]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>		
2,2,4-trimethyl-1,3-pentanediol	Oral (Rat) LD50: >3200 mg/kg <sup>[2]</sup>	Eyes - Moderate irritant	*	
monoisobutyrate		Skin - Slight irritant *		
		Skin (rabbit): mild ***		
		Skin: no adverse effect	observed (not irritating) <sup>[1]</sup>	
alcohols C12-14 secondary	TOXICITY	IRRITATION		
ethoxylated	Not Available	Not Available		
Legend:	Value obtained from Europe ECHA Registered St specified data extracted from RTECS - Register of T		nined from manufacturer's SDS. Unless otherwise	
RESENE CONTAINERSHIELD INTERIOR	Generally, linear and branched-chain alkyl esters are hydrolysed to their component alcohols and carboxylic acids in the intestinal tract, blood and most tissues throughout the body.			
SODIUM NITRITE	Tumorigenic - Carcinogenic by RTECS criteria.  Exposure to the material may result in a possible ris	k of irreversible effects.		
2,2,4-TRIMETHYL- 1,3-PENTANEDIOL MONOISOBUTYRATE	Not a skin sensitiser (guinea pig, Magnusson-Kligman) *** Ames Test: negative *** Micronucleus, mouse: negative *** Not mutagenic *** No effects on fertility or foetal development seen in the rat **** [SWIFT] ** [Eastman] *** [Perstop]  The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic).			
ALCOHOLS C12-14 SECONDARY ETHOXYLATED	No significant acute toxicological data identified in literature search.  Polyethers, for example, ethoxylated surfactants and polyethylene glycols, are highly susceptible towards air oxidation as the ether oxygens will stabilize intermediary radicals involved.  Human beings have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents, and other cleaning products.  Alcohol ethoxylates are according to CESIO (2000) classified as Irritant or Harmful depending on the number of EO-units:  EO < 5 gives Irritant (Xi) with R38 (Irritating to skin) and R41 (Risk of serious damage to eyes)  EO > 5-15 gives Harmful (Xn) with R22 (Harmful if swallowed) - R38/41  EO > 15-20 gives Harmful (Xn) with R22-41  >20 EO is not classified (CESIO 2000)  Oxo-AE, C13 EO10 and C13 EO15, are Irritating (Xi) with R36/38 (Irritating to eyes and skin).  AE are not included in Annex 1 of the list of dangerous substances of the Council Directive 67/548/EEC  In general, alcohol ethoxylates (AE) are readily absorbed through the skin of guinea pigs and rats and through the gastrointestinal mucosa of rats.  For high boiling ethylene glycol ethers (typically triethylene- and tetraethylene glycol ethers):  Skin absorption: Available skin absorption data for triethylene glycol ether (TGBE), triethylene glycol ethers is 22 to 34 micrograms/cm2/hr, with the			
SODIUM NITRITE & 2,2,4- TRIMETHYL- 1,3-PENTANEDIOL MONOISOBUTYRATE	methyl ether having the highest permeation constant and the butyl ether having the lowest.  The material may be irritating to the eye, with prolonged contact causing inflammation.			
Acute Toxicity	×	Carcinogenicity	X	
Skin Irritation/Corrosion	×	Reproductivity	×	
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×	
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×	
Mutagenicity	×	Aspiration Hazard	×	

Legend:

X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

# **SECTION 12 Ecological information**

# Toxicity

RESENE CONTAINERSHIELD	Endpoint	Test Duration (hr)	Test Duration (hr)		Value		Source	
INTERIOR	Not Available	Not Available	Not Available		Not Available		Not Available	
	Endpoint	Test Duration (hr)	Spec	ies		Value		Source
	NOEC(ECx)	672h	Fish	Fish		0.01mg/l		4
	EC50	96h	Algae	Algae or other aquatic plants		1600mg/l		4
sodium nitrite	EC50	72h	Algae	or other aquatic plants		>100mg/l		2
	LC50	96h	Fish	Fish		0.00016mg	/I	4
	EC50	48h	Crust	acea		ca.12.51mg	g/l	1

Version No: 3.3 Page 6 of 8 Issue Date: 03/03/2023

#### RESENE CONTAINERSHIELD INTERIOR

Print Date: 03/03/2023

2,2,4-trimethyl-1,3-pentanediol	
monoisobutyrate	

Endpoint	Test Duration (hr)	Species	Value	Source
NOEC(ECx)	72h	Algae or other aquatic plants	3.28mg/l	1
EC50	72h	Algae or other aquatic plants	15mg/l	Not Available
LC50	96h	Fish	16mg/l	Not Available
EC50	48h	Crustacea	>19mg/l	2

alcohols C12-14 secondary ethoxylated

Endpoint	Test Duration (hr)	Species	Value	Source
Not Available	Not Available	Not Available	Not Available	Not Available

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark.

DO NOT discharge into sewer or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium nitrite	LOW	LOW
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW	LOW

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation
sodium nitrite	LOW (LogKOW = 0.0564)
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW (LogKOW = 2.9966)

#### Mobility in soil

Ingredient	Mobility
sodium nitrite	LOW (KOC = 23.74)
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW (KOC = 22.28)

# **SECTION 13 Disposal considerations**

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains Product / Packaging disposal
  - ► Recycle wherever possible.

Consult manufacturer for recycling option.

Resene Paintwise accepts residual unwanted paint and packaging. See Resene website for Paintwise information.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

# **Disposal Requirements**

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package.

# **SECTION 14 Transport information**

# Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group	
sodium nitrite	Not Available	

Version No: **3.3** Page **7** of **8** Issue Date: **03/03/2023** 

#### RESENE CONTAINERSHIELD INTERIOR

Print Date: 03/03/2023

Product name	Group
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available
alcohols C12-14 secondary ethoxylated	Not Available

#### Transport in bulk in accordance with the IGC Code

Product name	Ship Type
sodium nitrite	Not Available
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available
alcohols C12-14 secondary ethoxylated	Not Available

# **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002670	Surface Coatings and Colourants Subsidiary Hazard Group Standard 2020

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

#### sodium nitrite is found on the following regulatory lists

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2A: Probably carcinogenic to humans

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

#### 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

#### alcohols C12-14 secondary ethoxylated is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO)  $\operatorname{Act}$  - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

#### Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

#### **Certified Handler**

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

#### Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

# **Tracking Requirements**

Not Applicable

# **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
New Zealand - NZIoC	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

# **SECTION 16 Other information**

Version No: **3.3** Page **8** of **8** Issue Date: **03/03/2023** 

#### **RESENE CONTAINERSHIELD INTERIOR**

Print Date: 03/03/2023

Revision Date	03/03/2023
Initial Date	27/10/2017

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
2.3	03/03/2023	Physical and chemical properties - Appearance, Identification of the substance / mixture and of the company / undertaking - Use

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.