RESENE ECOWASH

RESENE AUTOMOTIVE & LIGHT INDUSTRIAL

Version No: 1.1

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Issue Date: **17/05/2023**Print Date: **17/05/2023**L.GHS.NZL.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier | |
|-------------------------------|----------------|
| Product name | RESENE ECOWASH |
| Synonyms | Not Available |
| Other means of identification | Not Available |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | 10249 |
|--------------------------|-------|
| | |

Details of the manufacturer or supplier of the safety data sheet

| Registered company name | RESENE AUTOMOTIVE & LIGHT INDUSTRIAL |
|-------------------------|--|
| Address | 32-50 Vogel Street Naenae Wellington New Zealand |
| Telephone | +64 4 5770500 |
| Fax | +64 4 5773327 |
| Website | www.resene.co.nz |
| Email | advice@resene.co.nz |

Emergency telephone number

| Association / Organisation | NZ POISONS (24hr 7 days) | CHEMWATCH EMERGENCY RESPONSE (24/7) |
|-----------------------------------|--------------------------|-------------------------------------|
| Emergency telephone numbers | 0800 764766 | +64 800 700 112 |
| Other emergency telephone numbers | 0800 737636 | +61 3 9573 3188 |

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

| Classification [1] | Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2 | |
|---|--|--|
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI | |
| Determined by Chemwatch using GHS/HSNO criteria | 6.3A, 6.4A | |

Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

| H315 | Causes skin irritation. |
|------|--------------------------------|
| H319 | Causes serious eye irritation. |

Precautionary statement(s) Prevention

| P280 | Wear protective gloves, protective clothing, eye protection and face protection. |
|------|--|
| P264 | Wash all exposed external body areas thoroughly after handling. |

Precautionary statement(s) Response

| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
|----------------|--|
| P337+P313 | If eye irritation persists: Get medical advice/attention. |

 Version No: 1.1
 Page 2 of 7
 Issue Date: 17/05/2023

 Print Date: 17/05/2023
 Print Date: 17/05/2023

RESENE ECOWASH

| P302+P352 | IF ON SKIN: Wash with plenty of water. |
|-----------|--|
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|------------|--|--------------------------|
| 497-19-8 | 1-10 | sodium carbonate |
| 10124-56-8 | 1-3 | sodium hexametaphosphate |
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available | |

SECTION 4 First aid measures

Description of first aid measures

| Eye Contact | If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|---|
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| Fire Incompatibility | None known. | |
|-------------------------|---|--|
| Advice for firefighters | | |
| Fire Fighting | ► Alert Fire Brigade and tell them location and nature of hazard. | |
| Fire/Explosion Hazard | Non combustible. May emit corrosive fumes. | |

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

 Version No: 1.1
 Page 3 of 7
 Issue Date: 17/05/2023

 Print Date: 17/05/2023
 Print Date: 17/05/2023

RESENE ECOWASH

| Minor Spills | Control personal contact with the substance, by using personal protective equipment. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Clean area with large quantity of water to complete clean-up. |
|--------------|---|
| Major Spills | Moderate hazard. Wear appropriate personnel protective equipment and clothing to prevent exposure. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

- $\mbox{\ensuremath{\,^{\blacktriangleright}}}$ Avoid unnecessary personal contact, including inhalation.
- DO NOT allow clothing wet with material to stay in contact with skin

Other information

Conditions for safe storage, including any incompatibilities

| Suitable container | ▶ Polyethylene or polypropylene container. |
|-------------------------|--|
| Storage incompatibility | None known |

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|--------------------------|---------------|----------|---------------|-----------|
| sodium carbonate | 7.6 mg/m3 | 83 mg/m3 | | 500 mg/m3 |
| Ingredient | Original IDLH | | Revised IDLH | |
| sodium carbonate | Not Available | | Not Available | |
| sodium hexametaphosphate | Not Available | | Not Available | |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit |
|--------------------------|---|--|
| sodium carbonate | E | ≤ 0.01 mg/m³ |
| sodium hexametaphosphate | E | ≤ 0.01 mg/m³ |
| Notes: | Occupational exposure banding is a process of assigning chemicals into sadverse health outcomes associated with exposure. The output of this progrange of exposure concentrations that are expected to protect worker hea | ocess is an occupational exposure band (OEB), which corresponds to a |

Exposure controls

| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. |
|---|--|
| Individual protection measures, such as personal protective equipment | |
| Eye and face protection | ▶ Safety glasses with side shields. |
| Skin protection | See Hand protection below |
| Hands/feet protection | Wear chemical protective gloves, e.g. PVC. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. |
| Body protection | Overalls |
| Other protection | No special measures required. |

SECTION 9 Physical and chemical properties

Version No: 1.1 Page **4** of **7**

RESENE ECOWASH

Issue Date: 17/05/2023 Print Date: 17/05/2023

| Appearance | Liquid | | |
|--|---------------|---|---------------|
| Physical state | Liquid | Relative density (Water = 1) | 1.06-1.09 |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | 9-10 | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | 100 | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | 90 |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | <1 |

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|------------------------------------|---------------|
| Chemical stability | ▶ Stable |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

| Information on toxicological ef | fects | | | |
|---------------------------------|--|------------|-------------------------|--|
| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). | | | |
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. | | | |
| Skin Contact | Evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period. The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. | | | |
| Eye | Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. | | | |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. | | | |
| | | | | |
| RESENE ECOWASH | TOXICITY IRRITATION Not Available Not Available | | | |
| | | | | |
| | TOXICITY | IRRITATIO | N . | |
| sodium carbonate | dermal (rat) LD50: >2000 mg/kg ^[2] | Eye (rabbi | t): 100 mg/24h moderate | |
| | | | | |

Version No: 1.1 Page **5** of **7** Issue Date: 17/05/2023

RESENE ECOWASH

Print Date: 17/05/2023

| | Oral (Rat) LD50: 2800 mg/kg ^[2] | $^{\prime}$ kg $^{[2]}$ Eye (rabbit): 100 mg/30s mild | | |
|---|--|--|--|--|
| | | Eye (rabbit): 50 mg SEVERE | | |
| | | Eye: adverse effect observed (irritating) ^[1] | | |
| | | Skin (rabbit): 500 mg/24h mild | | |
| | | Skin: no adverse effect observed (not irritating) ^[1] | | |
| | TOXICITY | IRRITATION | | |
| | Dermal (rabbit) LD50: >7940 mg/kg ^[2] | Eye: no adverse effect obse | rved (not irritating) ^[1] | |
| sodium hexametaphosphate | Inhalation(Rat) LC50: >3.69 mg/l4h ^[1] Skin: no adverse effect observed | | erved (not irritating) ^[1] | |
| | Oral (Rat) LD50: >2000 mg/kg ^[1] | | | |
| Legend: | Nalue obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances | | | |
| | specified data extracted from RTECS - Register of Toxic | Effect of chemical Substances | | |
| | specified data extracted from RTECS - Register of Toxic | Effect of chemical Substances | | |
| SODIUM CARBONATE | for sodium carbonate: Sodium carbonate has no or a low skin irritation potential The material may cause skin irritation after prolonged or r | but it is considered irritating to the e | yes. | |
| SODIUM CARBONATE SODIUM CARBONATE & SODIUM HEXAMETAPHOSPHATE | for sodium carbonate: Sodium carbonate has no or a low skin irritation potential | but it is considered irritating to the e repeated exposure and may produce | yes. e a contact dermatitis (nonallergic). | |
| SODIUM CARBONATE & SODIUM | for sodium carbonate: Sodium carbonate has no or a low skin irritation potential The material may cause skin irritation after prolonged or r | but it is considered irritating to the e repeated exposure and may produce | yes. e a contact dermatitis (nonallergic). | |
| SODIUM CARBONATE & SODIUM HEXAMETAPHOSPHATE | for sodium carbonate: Sodium carbonate has no or a low skin irritation potential The material may cause skin irritation after prolonged or r Asthma-like symptoms may continue for months or even | but it is considered irritating to the e repeated exposure and may produce years after exposure to the material | yes. e a contact dermatitis (nonallergic). ends. | |
| SODIUM CARBONATE & SODIUM HEXAMETAPHOSPHATE Acute Toxicity Skin Irritation/Corrosion | for sodium carbonate: Sodium carbonate has no or a low skin irritation potential The material may cause skin irritation after prolonged or r Asthma-like symptoms may continue for months or even | but it is considered irritating to the e repeated exposure and may produce years after exposure to the material Carcinogenicity | yes. a contact dermatitis (nonallergic). ends. | |
| SODIUM CARBONATE & SODIUM HEXAMETAPHOSPHATE | for sodium carbonate: Sodium carbonate has no or a low skin irritation potential The material may cause skin irritation after prolonged or r Asthma-like symptoms may continue for months or even | but it is considered irritating to the e repeated exposure and may produce years after exposure to the material Carcinogenicity Reproductivity | yes. e a contact dermatitis (nonallergic). ends. | |

Legend:

X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

SECTION 12 Ecological information

Toxicity

| DECEME FORWARD | Endpoint | Endpoint Test Duration (hr) Species Value | | | Source | | | |
|-------------------------------|-----------|---|-----------------------------------|------------------------------------|-----------------|------------|---------------|--------|
| RESENE ECOWASH Not Available | | Not Available | | Not Available | Not Avai | lable | Not Available | |
| | | | | | | 1 | | |
| | Endpoint | Test Duration (hr) | Specie | S | | Value | | Source |
| | NOEC(ECx) | 250 96h Fis | | | | 0.0106mg/l | | 4 |
| sodium carbonate | LC50 | | | | | 300mg/l | | 4 |
| Sodium carbonate | EC50 | | | Algae or other aquatic plants >800 | | >800mg/l | 0mg/l | |
| | EC50 | 96h | Algae or other aquatic plants 242 | | 242mg/l | | 4 | |
| | EC50 | 48h Crustacea | | | 156.6-298.9mg/l | | 4 | |
| | | | | | | | | |
| | Endpoint | Test Duration (hr) | Sp | ecies | | Value | • | Source |
| | LC50 | 96h | Fis | h | | >100 | mg/l | 2 |
| sodium hexametaphosphate | EC50 | 72h | Alg | ae or other aquatic plar | ts | >100 | mg/l | 2 |
| | F050 | 48h | Cru | Crustacea | | >485 | mg/l | 2 |
| | EC50 | 7011 | | Algae or other aquatic plants | | | | |

Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------------|-------------------------|------------------|
| sodium carbonate | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------------|------------------------|
| sodium carbonate | LOW (LogKOW = -0.4605) |

 Version No: 1.1
 Page 6 of 7
 Issue Date: 17/05/2023

 Print Date: 17/05/2023
 Print Date: 17/05/2023

RESENE ECOWASH

| Ingredient | Mobility |
|------------------|----------------|
| sodium carbonate | HIGH (KOC = 1) |

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- Recycle wherever possible.

Consult manufacturer for recycling option.

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package.

Do not allow product or wash water from cleaning or process equipment to enter drains or watercourses. It may be necessary to collect all wash water for treatment before disposal. The generation of waste should be avoided or minimised wherever possible.

Disposal of this product should comply with Hazard Substances (Disposal) Notice 2017 (EPA Consolidation 30 April 2021).

For treating and discharging processes contact your local authority.

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| - | |
|--------------------------|---------------|
| Product name | Group |
| sodium carbonate | Not Available |
| sodium hexametaphosphate | Not Available |

Transport in bulk in accordance with the IGC Code

| • | |
|--------------------------|---------------|
| Product name | Ship Type |
| sodium carbonate | Not Available |
| sodium hexametaphosphate | Not Available |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

| HSR Number | Group Standard | |
|------------|---|--|
| HSR002530 | Cleaning Products Subsidiary Hazard Group Standard 2020 | |

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

sodium carbonate is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification

New Zealand Inventory of Chemicals (NZIoC)

sodium hexametaphosphate is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification
of Chemicals

of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Quantities |
|------------|
| |
| |

Version No: 1.1 Page 7 of 7 Issue Date: 17/05/2023

RESENE ECOWASH

Print Date: 17/05/2023

| Hazard Class | Quantities |
|----------------|----------------|
| Not Applicable | Not Applicable |

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Class of substance | Quantities |
|--------------------|----------------|
| Not Applicable | Not Applicable |

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class | Gas (aggregate water capacity in mL) | Liquid (L) | Solid (kg) | Maximum quantity per package for each classification |
|----------------|--------------------------------------|----------------|----------------|--|
| Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |

Tracking Requirements

Not Applicable

National Inventory Status

| National Inventory | Status |
|--|--|
| Australia - AIIC / Australia Non-Industrial Use | Yes |
| New Zealand - NZIoC | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| Revision Date | 17/05/2023 |
|---------------|------------|
| Initial Date | 07/08/2018 |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit $_{\circ}$

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorlTe, from Chemwatch.